


Front Panel

9/18/67

TREATS 2,500 SQUARE FEET
A 50 FOOT BY 50 FOOT LAWN AREA

Just Pour In Spreader and Walk
Clean, Easy to Use, Dust Free Dry Granules



3 in 1

WEED KILLER

Kills lawn weeds
 Dandelion, plantain, buckhorn, thistle, sow thistle, poison ivy,
 group ivy, ragweed, burdock, nettle, pennywort, pigweed, reedgrass,
 sheep sorrel, yarrow, wild onion, parslane, chicory, gypsum weed,
 also black medic, and white clover in established lawns. hairy,
 smooth and silver crabgrass, common and mouse eared chickweed,
 sour grass and bent grass.

CAUTION: keep out of reach of children

READ BACK PANEL OTHER CAUTIONS

ACTIVE INGREDIENTS

Silvex [2-(2, 4, 5-Trichlorophenoxy) propionic acid] triethanolamine salt*	2.09%
2, 4-Dichlorophenoxyacetic acid triethanolamine salt**	0.68%
Disodium Methanearsonate Hexahydrate***	3.28%
INERT INGREDIENTS	93.95%
	<hr/> 100.00%

*Equivalent to 2,4,5-TP acid 1.23%
 **Equivalent to 2,4,-D acid 0.41%
 ***Arsenic in water soluble form .84%

NET WEIGHT 7 LBS.

Back Panel

311
1000
1000

2. In the event of a cold front, apply a full dose of
control, but not on grass, 1 to 2 days before the cold front
arrives. Crabgrass in more exposed areas (mild to hot sun) is
at its minimum of two applications, 2 to 3 days before the cold
front. For grass seedlings or other areas is recommended. Application
series should be 10-15 days before the cold front. Do not apply to
mature grass. Do not apply to new lawns until after the cold front
on a lawn, grasses when temperature is expected to exceed 45°.

3. Do not apply to lawns or other areas until after the cold front
has passed.

4. Do not apply to lawns or other areas (to avoid wind drift) until
after the cold front has passed. Do not apply to lawns or other areas
until after the cold front has passed. Do not apply to lawns or other
areas until after the cold front has passed.

5. Do not apply to lawns or other areas until after the cold front
has passed. Do not apply to lawns or other areas until after the cold
front has passed. Do not apply to lawns or other areas until after the
cold front has passed. Do not apply to lawns or other areas until after
the cold front has passed. Do not apply to lawns or other areas until
after the cold front has passed. Do not apply to lawns or other areas
until after the cold front has passed. Do not apply to lawns or other
areas until after the cold front has passed.

6. Do not apply to lawns or other areas until after the cold front
has passed. Do not apply to lawns or other areas until after the cold
front has passed. Do not apply to lawns or other areas until after the
cold front has passed. Do not apply to lawns or other areas until after
the cold front has passed. Do not apply to lawns or other areas until
after the cold front has passed. Do not apply to lawns or other areas
until after the cold front has passed. Do not apply to lawns or other
areas until after the cold front has passed.

7. Do not apply to lawns or other areas until after the cold front
has passed. Do not apply to lawns or other areas until after the cold
front has passed. Do not apply to lawns or other areas until after the
cold front has passed. Do not apply to lawns or other areas until after
the cold front has passed. Do not apply to lawns or other areas until
after the cold front has passed. Do not apply to lawns or other areas
until after the cold front has passed. Do not apply to lawns or other
areas until after the cold front has passed.

... because of ...
 ... because of ...
 ... because of ...
 ... because of ...
 ... because of ...

Spring Printing ...

<u>...</u>	<u>...</u>	<u>...</u>	<u>...</u>
...
...
...
...

...


...

front panel



7/13/57

2,500 2,500
50 50 50 50 50 50 50 50 50 50



Just pour in sprayer and walk
clean, dry to use. Just use dry granules

3 1 1

350 1112a

kills weeds dandelion, plantain, buckhorn, thistle, sock eye, poison ivy,
ground ivy, ragwort, burdock, horseweed, chickweed, begonia,
sheep sorrel, yellow, wild radish, sandcherry, onion, yellow weed,
also black night, and white clover in established lawn. hairy,
smooth and silver chrysanthemum, common and mossy leaved chrysanthemum,
and grass and many others.

Keep out of reach of children.

Use only in so called children's

ACTIVE INGREDIENTS

Silvex [2-(2, 4, 5-trichlorophenoxy) propionic acid] tris(hydroxymethyl)amine salt*	2.09%
2, 4-dichloro-phenoxyacetic acid tris(hydroxymethyl)amine salt*	0.66%
Sodium metarsenate hexahydrate	0.25%
Inert Ingredients	93.95%
	<hr/> 100.00%

*equivalent to 2,4,5-trichloro acid 1.00%
**equivalent to 2,4-dichloro acid 0.41%
***Arsenic in water soluble form 0.04%

7 121