

Reg # 4-123

PM-14

1973

ACCEPTED

JUL 2 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4-123

White thru red----- BONIDE®

Whi
Yello

**MOSQUITO
BEATER®**

AREA MOSQUITO PREVENTIVE

ALSO AIDS IN THE REDUCTION OF OTHER INSECTS SUCH AS BLACKFLIES AND HOUSEFLIES (OUTDOORS).

White thru red

Pleasantly scented, clean, dustless, dry granules. Easy to apply right from container. Long lasting. Treats 100 X 50 foot area. Enjoy yourself without mosquitoes around Patios, Barbeque and Swimming Pool Areas, Lawns, Clambakes, Picnic and Camp Sites, Tennis Courts, Outdoor Movies, Golf Courses, Concerts and Other Meeting Areas.

[Art work of mosquitoes leaving a picnic area.]

EPA Est. 4-NY-1

EPA Reg. No. 4-123

Black-----

ACTIVE INGREDIENTS:

Methylated naphthalenes.....	16.0%
Naphthalene.....	4.5%
Beta-butoxy beta'-thiocyano diethyl ether..	1.0%
Butoxypolypropylene glycol.....	0.5%
Petroleum Distillate.....	9.0%
INERT INGREDIENTS.....	69.0%

TOTAL..... 100.0%

12 pt.----- KEEP OUT OF REACH OF CHILDREN

18 pt.----- CAUTION

NET WT.:

1 lb. 10 oz.

8 pt.----- {See back panel for additional precautionary statements and directions.

BEST AVAILABLE COPY

BONIDE MOSQUITO BEATER, EPA Reg. No. 4-123

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Avoid prolonged skin contact. Wash after handling. If swallowed, call a physician or poison control center. If in eyes, flush with water. Call a physician if irritation persists.

Physical and Chemical Hazards

Flammable. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Store in a cool, dry place, and in an area inaccessible to children or pets.

Pesticide Disposal: Securely wrap container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Empty completely and discard in trash.

Mosquito Beater® is quick and easy to apply. It is ready to use: no mixing, no water. Simply broadcast granules on the ground or apply with a lawn spreader, dust gun or hand crank duster.

Starting with one hour after application, one treatment can be completely effective for up to two days, and can continue to provide excellent results for up to eight days, depending upon rainfall and wind currents which contribute to reinfestation.


As the action of Mosquito Beater® depends upon release of active ingredients in the vapor phase, air movements affect results considerably. Best results in small areas are obtained in quiet or relatively still air, such as occurs during early evening periods. Application should be made about an hour before the area is occupied. During periods of light to medium air currents allow a longer period prior to occupancy or treat an area large enough to overcome localized effect of breezes. (See diagram for suggested application techniques.) As a rule, the air is sufficiently still when Mosquito Beater® fragrance can be detected while standing in the treated area to be occupied.

BEST AVAILABLE COPY


BONIDE MOSQUITO BEATER, EPA Reg. No. 4-123

Apply at the rate of one half cup per 10 foot by 10 foot area. Do not overdose desirable lawn areas. In case of overdose disperse granules with spray from garden hose. Always treat an area considerably larger than that to be occupied, usually not less than 100 feet by 50 feet or 70 feet by 70 feet and preferably double this area for best overall results. Apply liberally to moist dark areas of heavy growth. Will not harm flowers, shrubs, lawns, soil or the user. Repeat application when area becomes reinfested.

DURING PERIODS OF STILL AIR
TREAT SHADED AREA
100'



DURING PERIODS OF LIGHT TO MEDIUM AIR MOVEMENT
TREAT SHADED AREA
140'



Recommendations for use of this product are based upon tests believed to be reliable. The buyer must assume all responsibility for use of this product when not used in strict accordance with label directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

© 1972 and manufactured by
BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

BEST AVAILABLE COPY