

4-123

06/27/2000

1/6

581455 361
18

June 27, 2000

Bonide Products, Inc.
2 Wurz Ave.
Yorkville, NY 13495

Attention: Karen Salsbury

Subject Mosquito Beater
EPA Reg. No. 4-123
Your amended application of June 2, 2000

Revised labeling The labeling submitted with the above letter under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

- Other conditions**
- A. submit one (1) copy of final printed labeling to us before you ship your product,
 - B. submit a copy of any Confidential Statement of Formula (CSF) for this product dated prior to November 6, 1999, within one (1) month of receipt of this letter,
 - C. submit a protocol for retesting this product within three (3) days of receipt of this letter,
 - D. use accepted, revised labeling within six (6) months of approval,
 - E. submit new efficacy tests within twelve (12) months of receipt of an approved protocol.

Consequences of non-compliance If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A copy of the stamped label is enclosed for you records.

Page 2 of 2

EPA Contact If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock.dan@epa.gov (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Enclosures 1. Stamped label
2. Minimum Type Size Requirements for Final Printed Labels

Letter filed A:\Rotenone\4-123 June 2000.wpd June 27, 2000



Mosquito Beater

Ready to Use

Area Mosquito Preventative

- Also helps to prevent Black Flies.
- Scent drives mosquitoes from treated area in about one hour. May be effective upwards to 24 hours.
Note. This product does not conform to EPA standards for performance of area control or repellency of mosquitoes.
- Enjoy yourself without mosquitoes around Patios, Barbeque and Swimming Pool Areas, Lawns, Clambakes, Picnic and Camp Sites, Tennis Courts, Outdoor Movies, Golf Courses, Concerts and Other Meeting Areas.
- Also Aids in the reduction of other insects such as Blackflies and Houseflies (outdoors)
- Easy to Apply Granules right from the container
- Treats up to 4,000 Sq. Ft.

ACTIVE INGREDIENTS

Naphthalene	4.5%
Butoxypolypropylene glycol	0.5%
OTHER INGREDIENTS.....	95.0%
TOTAL	100.0%

Contains Petroleum Distillate

ACCEPTED
with COMMENTS
in EPA Letter Dated
JUN 27 2000
Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.
4-123

EPA Reg. No. 4-123

EPA Est. No. 4-NY-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back panel for Additional Precautionary Statements and Directions

NET Weight 1.3 lbs. (.589 kg)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

User Restrictions:

Mosquito Beater repels mosquitoes and blackflies from small, non-crop areas, such as picnic tables, patios, and tents. Not for use on vegetable gardens.

General Information:


Mosquito Beater® is quick and easy to apply. It is ready to use: no mixing, no water. Simply broadcast granules on the ground or apply with a lawn spreader, dust gun or hand crank duster.

Selection of Treatment Areas and Times:

As the action of Mosquito Beater® depends upon release of active ingredients in the vapor phase, air movements affect results considerably. Best results in small areas are obtained in quiet or relatively still air, such as occurs during early evening periods. Application should be made about an hour before the area is occupied. During periods of light to medium air currents allow a longer period prior to occupancy or treat an area large enough to overcome localized effect of breezes. See diagram for suggested application techniques.

Application Directions:

Apply by shaking directly from the container at the rate of ½ cup per 10 foot by 10 foot area. Do not touch product without gloves. Always treat an area considerably larger than that to be occupied. If treatment area is greater than 4000 sq. ft. (optional 5000 sq. ft.), buy additional product. [One container covers 4000 sq. ft. (optional 5000 sq. ft.)] Apply at a higher rate in heavy growth.



Effectiveness of Treatment: Starting one hour after application, one treatment may be effective up to 24 hours. Rainfall, temperature, and wind may affect effectiveness. Note: This product does not conform to EPA standards for performance of area control or repellency of mosquitoes.

Retreatment Directions:

Repeat application when area becomes reinfested.

**PRECAUTIONARY STATEMENTS:
Hazards to Human and Domestic Animals**

CAUTION:

May be harmful if inhaled or swallowed. Avoid breathing vapors or dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed	<ul style="list-style-type: none"> ● Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice. ● Have person sip a glass of water if able to swallow. ● Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	<ul style="list-style-type: none"> ● Take off contaminated clothing. ● Rinse skin immediately with plenty of water for 15 to 20 minutes. ● Call a poison control center, or doctor, or 1-800-858-7378 immediately for treatment advice.
If inhaled	<ul style="list-style-type: none"> ● Move person to fresh air. ● If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. ● Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
If in eyes	<ul style="list-style-type: none"> ● Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. ● Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. ● Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water.

Physical and Chemical Hazards

Flammable. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Storage: Store only in original container, in a dry place inaccessible to children and pets.

Disposal: Do not reuse empty container. Rinse thoroughly. Securely wrap in newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

**Manufactured by:
BONIDE PRODUCTS, INC
YORKVILLE, NY 13495**