

BONIDE®

ROSE SPRAY
Instant All Liquid

NEW WATER SPRAY CONCENTRATE
FOR
ROSES AND FLOWERS

Contains: *Sevin® **Captan
Karathane *Kelthane
and *****Lindane

BEST AVAILABLE COPY

EPA Est. 4-NY-1

EPA Reg. No. 4-125

ACTIVE INGREDIENTS

| | |
|--|-------|
| *Carbaryl (1-naphthyl N-methylcarbamate) | 10.0% |
| **Captan N-[(trichloromethyl)thio] 4-cyclohexene-1,2-dicarboximide | 10.0% |
| ***1.0% (dinitro (1-methylheptyl) phenyl crotonate) | 0.7% |
| (other nitrophenols and derivatives chiefly dinitro-(1-methylheptyl) phenol) | 0.3% |
| ****1,1-bis (p-chlorophenyl)-2,2,2-trichloroethanol | 0.5% |
| *****Gamma isomer of Benzene Hexachloride from Lindane | 0.5% |
| INERT INGREDIENTS: | 78.0% |

© Reg. T.M.U.C.C.

100.0%

ACCEPTED

OCT 17 1985

4-125

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional
precautionary statements and
statement of practical treatment.

NET CONTENTS

BONIDE ROSE SPRAY INSTANT ALL LIQUID, EPA Reg. No. 4-125PRECAUTIONARY STATEMENTSHAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

Harmful if swallowed or absorbed through skin. Avoid inhalation of vapors or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feedstuffs. Children and domestic animals should not be permitted to contact treated areas until spray has dried. Wear rubber gloves when using indoors. When using outdoors wear long pants, long sleeve shirt, and rubber gloves. Outdoors, spray with the wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing. Wear full foot covering and head covering during application. Wash contaminated clothing after use.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from treated areas.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated areas. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL/CHEMICAL HAZARDS

Extremely flammable. Keep away from fire, sparks, and heated surfaces.


BONIDE ROSE SPRAY INSTANT ALL LIQUID, EPA Reg. No. 4-125

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store tightly sealed in original container, and a cool dry place inaccessible to children or pets. Avoid temperature extremes. Wrap container in several layers of newspaper and place in trash collection.



BEST AVAILABLE COPY

BONIDE ROSE SPRAY INSTANT ALL LIQUID, EPA Reg. No. 4-125

BONIDE ROSE SPRAY INSTANT ALL LIQUID lets the natural beauty of your flowers shine through 9 ways: 1) Insecticide 2) Fungicide 3) Miticide 4) Ovicide 5) Acaricide 6) Fungicide 7) No powder film 8) 7-day action 9) Clean, shiny leaves. Easy to use: Mixes instantly - no plugged nozzles.

This product is safe in use dilution on flowers including rose, carnation, gladiolus, geranium, chrysanthemum, lily, aster, violet, juniper, hydrangea and azalea. Kills the following major ornamental pests and many other minor pests up to seven days when properly applied and protects plants from disease damage listed below.

Insects: Sawflies, birch leaf miner, blister beetles, flea beetles, jap. beetles, leaf hoppers, leaf rollers, mealy bugs, psyllids, rose aphids, rose slug, scale insects, tent caterpillars, exposed thrips, spider mites (European red, clover and two spotted).

Diseases: Powdery mildew, black spot, rust, leaf spot (alternaria), anthracnose, botrytis flower blight.

Mix at the rate of 2-4 tablespoons per gallon of water. The lower rate may be sufficient for control in spring or fall, while the higher rate may be necessary for the summer months. Use the lowest dilution at which control is achieved.

Choose a cool, calm period preferably early morning or evening when plants will not be subjected to hot direct rays of the sun. Do not spray if rain is expected before leaf surfaces dry. Start applications in the spring when insects first appear or conditions favor disease (warm humid days). It is usually easier to prevent than cure disease and certain scale damage. Apply at 10-12 day intervals, or every five to seven days in presence of active disease spores. **SHAKE WELL BEFORE USING, UNTIL COMPLETELY REBLENDED.** Contains micron particles which settle upon standing and require reblending by shaking. Mix with water or use hose spray gun and while applying shake sprayer occasionally to keep particles in suspension. Apply spray thoroughly to tops and undersides of leaves just until they are dripping.

Do not use on Boston Ivy.

Responsibilities for use of this product are based upon **label** believed to be reliable. The buyer must assume all responsibility for use of this product when not used in strict accordance with label directions or established good practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13395

