

DANDELION KILLER[®]

ALSO KILLS Plantain, buckhorn, thistles, english daisies, ground ivy, pennywort, mustard, pigweed, lambs quarters, nettle, gypsumweed and certain other annual and perennial weeds.

DANDELION KILLER

Dandelion Killer[®] can be applied any time spring, summer or fall. Application during warm periods 60-95 F. when weeds are actively growing gives best results. During cool or drought periods action is slow and retreatment may be necessary. On new lawns wait until after third regular mowing to apply. Some weeds die naturally when mowed repeatedly. Resistant type perennial weeds may need repeat application three weeks after first application or repeat applications can be made as needed.

DIRECTIONS

1. Don't mow lawn within 3-4 days before application and don't mow within 3 days after application.
2. Choose a calm period, no strong gusty winds, usually early morning, to avoid drift of material to valuable plantings.
3. Apply when lawn and weeds are moist with dew, early morning, or after a light shower or watering.
4. Sift the equivalent of a teaspoon of leaf surfaces of each weed right from the bag. Do not worry about material properly applied to grass as Dandelion Killer[®] is selective and will kill only broad leaved weeds. If large excessive mound is accidentally spilled on lawn watering the overdosed area will reduce, if not prevent, damage. If you wish to apply by spreader, see spreader directions. Bag may be folded down to close after use.
5. Do not water the lawn after application. Unexpected showers or rain within 24-36 hours after application will reduce or prevent results. Action is result of absorption by weeds of granule ingredients. Therefore if granules are disturbed off leaf surfaces results are prevented.
6. Effectiveness is indicated by twisting and loss of color within 7-10 days. Dead or dying weeds may be raked out if desired and bare spots reseeded two-three weeks after application. Heavily water the area to be reseeded two or three days before reseeding.

CAUTION: Store out of reach of children. Avoid contact with skin, eyes or clothing. In case of contact and after use wash or flush with water. Avoid contamination of feed, foodstuffs, fish ponds, water supplies and streams. Do not use in flower or vegetable gardens, shrub borders or ground covers. Application to bent grass, St. Augustine grass, Dichonora and clover lawns may cause injury. Spot treatment of weeds in these lawns is suggested.

Store in cool dry area but not near seeds, fertilizers, insecticides or fungicides prolongs effectiveness of ingredients.

DIRECTIONS FOR SPREADER APPLICATION

Measure area to be treated and apply contents of this bag to area listed on front of bag. Follow directions 1, 2, 3 & 5 above. Spreader settings for 1/2 inch wide openings will work on most spreaders but due to wear and different walking rates adjustment to avoid gross over and under dose is necessary. Other suggested spreader settings are given below. Avoid overlapping and double coverage in backing up or turning close spreader at these times and before filling. Pulling rather than pushing spreader will avoid disturbing granules applied and aid in getting better results.

Make & Model	Setting	Make & Model	Setting
Montgomery Ward 89-1001	8%	Johnsen 18-26 18	7
Salem Micro Set 22	7	Seers & Reebuck 19	7
Cyclone 88 Swath Spreader	6	Seer	8
		Lawn Beauty	7


Buyers guarantee limited to label claims

Manufactured by Benide Chemical Co., Inc. Utica, N.Y. 13502

U.S.D.A. Reg. No. 4-139

4058-5

WEIGHT SHOWN IS FOR
NET WEIGHT OF CONTENTS
AVAILABLE FREIGHT CLASSES
AND RATES ARE LISTED ON
THE BOTTOM OF THE BAG



WEED & FEE




D & FEED

GRANUL

CAUTION: KEEP OUT OF REACH OF CHILDREN

GRANULES

KEEP OUT OF REACH OF CHILDREN



4-39

DANDELION KILLER

Control dandelions and other weeds in lawns, gardens, and other areas. Kills dandelions, clover, chickweed, and other weeds. Use as directed for best results.

DIRECTIONS

1. Apply to weeds in lawns, gardens, and other areas. Use as directed for best results.

2. Do not apply to areas where children or pets play. Avoid contact with eyes, nose, and mouth.

3. Do not apply to areas where food is grown. Do not apply to areas where livestock graze.

4. Do not apply to areas where water is collected. Do not apply to areas where water is used for drinking.

5. Do not apply to areas where water is used for irrigation. Do not apply to areas where water is used for watering lawns.

6. Do not apply to areas where water is used for watering plants. Do not apply to areas where water is used for watering trees.

7. Do not apply to areas where water is used for watering shrubs. Do not apply to areas where water is used for watering flowers.

8. Do not apply to areas where water is used for watering lawns. Do not apply to areas where water is used for watering lawns.


9. Do not apply to areas where water is used for watering lawns. Do not apply to areas where water is used for watering lawns.

10. Do not apply to areas where water is used for watering lawns. Do not apply to areas where water is used for watering lawns.

DIRECTIONS FOR SPREADER APPLICATION

Apply to weeds in lawns, gardens, and other areas. Use as directed for best results.

Manufactured by: **Beck's Chemical Co., Inc.**
 U.S. Pat. No. 2,815,000



41