

BONIDE[®]

**2.75 LBS. TREATS 1,000 SQ. FT.
FOR SURFACE INSECTS.**

**3.5 LBS. TREATS 1,000 SQ. FT.
FOR GRUBS.**

ACCEPTED

JUL 18 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No.

K Yellow

FOR USE ON LAWNS AND RECREATIONAL AREAS AND AS
BEST CONTROL AROUND BUILDINGS.

CONTROLS WHITE GRUBS, ANTS, FLEAS, TICKS, EARWIGS, CRICKETS,
CHINCH BUGS, MOSQUITOES, GRASSHOPPERS, JUNE BEETLES, CUTWORMS,
SOW BUGS AND OTHERS LISTED ON BACK PANEL.

E.R.A. Est. No. 4-NY-1

E.R.A. Reg. No. 4-142

ACTIVE INGREDIENTS:


Carbaryl (1-naphthyl-N-methylcarbamate) 4.6%

INERT INGREDIENTS:

..... 95.4%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See back of bag for additional precautionary statements.

NET WEIGHT: 10 LBS. 20 LBS. 50 LBS.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS—CAUTION

MAY BE HARMFUL IF SWALLOWED Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling this product. Do not eat, drink or use tobacco while working with this product. Wash hands and face before eating, drinking or using tobacco. Keep out of reach of children and domestic animals.

ANTIDOTE STATEMENT — ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL — Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN**. If poisoning is suspected in animals, contact a veterinarian.

If Swallowed: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If on Skin: Wash thoroughly with soap and water.

If Inhaled: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended. In case of emergency call 1-800-UCC-HELP.

ENVIRONMENTAL HAZARD

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWNS, RECREATIONAL AND ORNAMENTAL TURF AREAS

For control of turfgrass pests, apply granules uniformly to the turf grass. For optimum control, follow specific directions for proper watering or irrigation after application. Do not allow public use of treated area during application. Before each application mow lawn, remove clipping and water thoroughly.

off open when starting. Keep machine handle low or container of machine vertical to ground level. Adjustments will seldom exceed 1/2 number

SPREADER	MODEL	SETTING	1/2 RATE
Palco	P220 thru P524	7 1/4	6 1/4
Lawn Beauty	18 and 24	7 1/2	6 1/2
Scotts	35-8	7 1/4	6
Jackson	20 and 26	7 1/4	6 1/2
Modern	360G-1	7 1/4	4 1/4
Palco-Rotocast*	C	5	4 1/4
Cyclone-Broadcast*	B	5	4 1/4

Brisk Walking*

STORAGE AND DISPOSAL

STORAGE — Store unused product in original container only in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F. • **PESTICIDE DISPOSAL** — Securely wrap original container in several layers of newspaper and discard in trash. • **CONTAINER DISPOSAL** — Do not reuse bag. Discard bag in trash.

NOTICE OF DISCLAIMER BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

Manufactured by
BONIDE CHEMICAL CO., INC. • YORKVILLE, NY 13495

granules and flush it down into the mound. A minimum of 1 gallon of water should be applied to each mound, but do not use more than 2 gallons of water as flooding of the mound may result. Apply water gently to avoid disturbing ants and causing migration before chemical can be effective. For best results, apply in the early morning or late evening hours when ants are least active. Treat new mounds as they appear.

CONTROL OF TICKS WHICH TRANSMIT LYME DISEASE - For control of juvenile and adult, Ixoides spp. ticks (Deer tick, Bear tick, and Black legged tick) and Amblyomma spp. ticks (Lone star tick). Apply granules at the rate of 2.75 to 3.50 pounds of formulated product per 1000 square feet.

Begin applications in late spring or early summer (May/June). Uniformly apply granules to entire lawn, perimeter wooded areas, and property boundaries including shrub beds, ornamental plantings, and wooded areas where exposure to ticks may occur. For optimum results, irrigate treated areas after application to remove chemical from granules.

