



PM 19 4-143 Page down 172

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 21 1994

JAMES J. WURZ
BONIDE PRODUCTS INC.
2 WURZ AVE.
YORKVILLE, N.Y. 13495

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 01/27/94 in Response to PR Notice 93-7
EPA Reg. No. 4-143
BONIDE SEVIN 5% DUST INSECTICIDE


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

0 7 2

BONIDE

SEVIN® 5% DUST

Brand Carbaryl Insecticide

INSECTICIDE FOR USE ON VEGETABLES, FRUIT, ORNAMENTALS, DOGS AND CATS

EPA Est. 4-NY-1 EPA Reg. No. 4-143

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl N-methylcarbamate)..... 5%
INERT INGREDIENTS 95%
Total 100%

SEVIN® is a registered trademark of Rhone-Poulenc Nederland B. V.
for carbaryl insecticides.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional Precautionary Statements

ACQUAWEIGHT 1 LB.

APR 21 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4-143

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS—CAUTION—Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wash thoroughly after handling. Wash contaminated clothing before reuse. Wear long sleeved work clothing. Note for Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS—This product is extremely toxic to bees and aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply while bees are actively visiting the area. Additional protective information may be obtained from your Cooperative Extension Service. Subsequent planting of food and feed crops in treated soils must be made with crops on this or other carbaryl labels.

DIRECTIONS FOR USE—It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage: Store in a cool, dry area, inaccessible to children.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Read the Cautions! This is a squeeze duster. An, squeeze sides with fingers and thumb to puff out powder as a dust. Make application in morning or evening when it is cool. Treat upper and lower surfaces of all foliage. Do not apply in excess. Start applications at first sign of insects. Repeat as necessary, generally at 7-day intervals, oftener in rainy weather. Do not use closer to harvest than indicated following each crop. Light application should be made in seed beds if plants show signs of insects. Note 1. Do not feed forage to dairy animals or animals being finished for slaughter. Note 2. Apply to corn silks every 3 days until dry for earworm control. Note 3. Do not use on watermelon in Florida. Do not apply to melons or cucumbers when temperatures exceed 80°F. or when vines are wet.

FOR CONTROL OF	Time to Stop Use Before Harvest
Beans: Mexican bean beetle, leafhoppers, flea beetles, corn earworm lygus and stinkbugs.	No Limit
Carrots: Leafhoppers, flea beetles and spittlebugs.	No Limit
Corn: Corn earworm, Fall army worm, grasshoppers (See notes 1 & 2)	Day of Harvest
Cabbage and Cauliflower: Flea beetles, cabbage worms, harlequin bugs, corn earworm	3 days
Brussels Sprouts and Broccoli: Flea beetles, cabbage worms, harlequin bugs, corn earworm.	3 days
Cucumbers, Melons and Squash: Flea beetles, pickleworms, cucumber beetles, squashbugs (See Note 3)	Day of Harvest
Eggplant: Lace bugs, tomato hornworm.	Day of Harvest
Head Lettuce: Leafhoppers, stinkbugs, army worms.	3 days
Okra: Stinkbugs, corn earworms.	No Limit
Peppers: Tomato fruitworm, Fall army worm, flea beetles, leafhoppers, lygus bug.	Day of Harvest
Potatoes: Colorado potato beetle, flea beetle, leafhopper	No Limit
Strawberries: Meadow spittlebug, leaf roller and strawberry weevil	1 day
Tobacco: Tobacco flea beetles, apply 1 to 2 lbs. per 100 square yards when plants come up. Repeat in 10-14 days. Again just before transplanting from seed bed.	No Limit
Tomatoes: Tomato fruitworm, tomato hornworm, flea beetle, stinkbugs.	Day of Harvest
Cats and Dogs: Fleas and ticks on cats and dogs. Rub into skin, avoid eyes. Dust quarters weekly. Do not use on kittens or puppies under 4 weeks of age. Do not repeat application within 7 days. Do not use on pregnant dogs.	
Ornamentals: Flowers and herbaceous plants (Japanese, blister, flea, June beetles; boxelder, mealy, lace and plant bugs; leafhoppers, leaf roller, psyllid, rose aphid and exposed thrips) dust thoroughly covering both tops and undersides of leaves with light film. Repeat application as needed. Do not apply on Boston Ivy.	
Shrubs, Trees and Woody Plants: Gypsy moth, scale insects, bag worm, birch, boxwood, and oak leaf miners, elm leaf aphid, Japanese, June, elm leaf and willow leaf beetles, mimosa webworm, tent and puss caterpillars, rose aphid and slug, periodical cicada, leafhopper, leaf roller, boxelder, lace, mealy, plant and thorn bugs, apple aphid, orange tortrix and exposed thrips) dust thoroughly covering both tops and undersides of leaves with light film. Repeat application as needed.	

Buyer's Guarantee Limited to Label Claims
Manufactured by
BONIDE PRODUCTS, INC. - YORKVILLE, N.Y. 13495

Not for use on plants grown for food or for medicinal purposes. Do not use on plants grown for food or for medicinal purposes. Do not use on plants grown for food or for medicinal purposes.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 21 1994

JAMES J. WURZ
BONIDE PRODUCTS INC.
2 WURZ AVE.
YORKVILLE, N.Y. 13495

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 01/27/94 in Response to PR Notice 93-7
EPA Reg. No. 4-143
BONIDE SEVIN 5% DUST INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola Ink on paper
contains at least 50% recycled fiber

BONIDE

SEVIN® 5% DUST

Brand Carbaryl Insecticide

INSECTICIDE FOR USE ON VEGETABLES, FRUIT, ORNAMENTALS, DOGS AND CATS

EPA Est. 4-NY-1 EPA Reg. No. 4-143

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl N-methylcarbamate)..... 5%
INERT INGREDIENTS..... 95%
Total..... 100%

SEVIN® is a registered trademark of Rhône-Poulenc Nederland B. V.
for carbaryl insecticides.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See Side Panel for Additional Precautionary Statements

NET WEIGHT 1 LB.

with COMMENTS
In EPA Letter Dated

APR 21 1974

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4-143

Not for use on plants grown for commercial purposes or for use on ornamentals, fruit, or vegetables. Do not use on plants grown for use as food or for medicinal purposes. Do not use on plants grown for use as food or for medicinal purposes. Do not use on plants grown for use as food or for medicinal purposes.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS — CAUTION — Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wash thoroughly after handling. Wash contaminated clothing before reuse. Wear long sleeved work clothing. Note for Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS — This product is extremely toxic to bees and aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply while bees are actively visiting the area. Additional protective information may be obtained from your Cooperative Extension Service. Subsequent planting of food and feed crops in treated soils must be made with crops on this or other carbaryl labels.

DIRECTIONS FOR USE — It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage: Store in a cool, dry area, inaccessible to children.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Read the Caution! This is a squeeze dust. To use, squeeze sides with fingers and thumb to pull out powder as a dust. Make application in morning or evening when it is cool. Treat upper and lower surfaces of all foliage. Do not apply in excess. Start applications at first sign of insects. Repeat as necessary, generally at 7-day intervals, often in rainy weather. Do not use closer to harvest than indicated following each crop. Light application should be made in seed beds if plants show signs of insects. Note 1. Do not feed forage to dairy animals or animals being finished for slaughter. Note 2. Apply to corn silks every 3 days until dry for earworm control. Note 3. Do not use on watermelon in Florida. Do not apply to melons or cucumbers when temperatures exceed 30°F. or when vines are wet.

FOR CONTROL OF

	Time to Stop Use Before Harvest
Beans: Mexican bean beetle, leafhoppers, flea beetles, corn earworm, lygus and stinkbugs.....	No Limit
Carrots: Leafhoppers, flea beetles and spittlebugs.....	No Limit
Corn: Corn earworm, Fall army worm, grasshoppers (See notes 1 & 2).....	Day of Harvest
Cabbage and Cauliflower: Flea beetles, cabbage worms, harlequin bugs, corn earworm.....	3 days
Brussels Sprouts and Broccoli: Flea beetles, cabbage worms, harlequin bugs, corn earworm.....	3 days
Cucumbers, Melons and Squash: Flea beetles, pickleworms, cucumber beetles, squashbugs (See Note 3).....	Day of Harvest
Eggplant: Lace bugs, tomato hornworm.....	Day of Harvest
Head Lettuce: Leafhoppers, stinkbugs, army worms.....	3 days
Okra: Stinkbugs, corn earworms.....	No Limit
Peppers: Tomato fruitworm, Fall army worm, flea beetles, leafhoppers, lygus bug.....	Day of Harvest
Potatoes: Colorado potato beetle, flea beetle, leafhopper.....	No Limit
Strawberries: Meadow spittlebug, leaf roller and strawberry weevil.....	1 day
Tobacco: Tobacco flea beetles, apply 1 to 2 lbs. per 100 square yards when plants come up. Repeat in 10-14 days. Again just before transplanting from seed bed.....	No Limit
Tomatoes: Tomato fruitworm, tomato hornworm, flea beetle, stinkbugs.....	Day of Harvest
Cats and Dogs: Fleas and ticks on cats and dogs. Rub into skin, avoid eyes. Dust quarters weekly. Do not use on kittens or puppies under 4 weeks of age. Do not repeat application within 7 days. Do not use on pregnant dogs.	
Ornamentals: Flowers and herbaceous plants (Japanese, blister, flea, June beetles; boxelder, mealy, lace and plant bugs, leafhoppers, leaf roller, psyllid, rose aphid and exposed thrips) dust thoroughly covering both tops and undersides of leaves with light firm. Repeat application as needed. Do not apply on Boston Ivy.	
Shrubs, Trees and Woody Plants: (gypsy moth, scale insects, bag worm, birch, boxwood, and oak leaf miners, elm leaf aphid, Japanese, June, elm leaf and willow leaf beetles, mimosa webworm, tent and puss caterpillars, rose aphid and slug, periodical cicada, leafhopper, leaf roller, boxelder, lace, mealy, plant and thorn bugs, apple aphid, orange tortrix and exposed thrips) dust thoroughly covering both tops and undersides of leaves with light firm. Repeat application as needed.	

Buyer's Guarantee Limited to Label Claims

Manufactured by

BONIDE PRODUCTS, INC. • YORKVILLE, N.Y. 13495

BEST COPY AVAILABLE