

FRONT PANEL:

E O N I D

ORCHARD MOUSE BAIT

For control of pine mice and meadow mice in orchards.

ACTIVE INGREDIENTS:

Zinc Phosphide.....	2%
INERT INGREDIENTS:.....	98%

WARNING: Keep out of reach of children
(See other cautions below)

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH LABEL WARNINGS,
CAUTIONS AND DIRECTIONS AND APPLICABLE FEDERAL OR STATE REGULATIONS.

WARNING: May be fatal if swallowed. Do not breathe dust or fumes.
Avoid contact with skin. In case of contact wash thoroughly with soap
and water. Wear rubber gloves when handling bait. Wash hands thor-
oughly after using and before smoking or eating. Keep away from children,
irresponsible individuals, domestic animals, pets and poultry.

CAUTION: Place poison baits out of reach of other wildlife by having
each placement covered. Do not allow bait to be exposed on bare ground.
Wash thoroughly all utensils, spoons or measuring devices after using.
Dispose of emptied containers or bags by burning and stay out of smoke
from such fires. Do not contaminate feed or foodstuffs during storage,
use or disposal. Store in a cool, dry place.

NET WEIGHT 50 LBS.

DIRECTIONS

At baiting time, attention should be given to weather forecasts. Hard
rain occurring after bait placement will necessitate retreatment. Select
warm clear, quiet days for mouse bait applications. Applications should
be made right after harvest and before leaf fall when the grass is not
yet matted. In general, Orchard Mouse Bait should be placed between tree
rows, along drainage ditches, rock walls, rock outcrops, fence rows and
low spots in the orchard. Bait is more readily accepted by mice when they
are protected by vegetation. Treatment of adjacent lands will prevent
movement of mice into orchard. Applications can be repeated where large
mice populations exist or mice continue to come in from other areas.

U.S.D.A. REG. NO. 4-

continue on page 2.

ACCEPTED

BROADCAST BAITING by aircraft, cyclone seeder or by hand. Hand application-- throw tablespoon amounts into heavy cover along tree rows, rock outcrops and fence lines. Apply 6-10 lbs. per acre. Aircraft and cyclone seeder-- apply at rate of 6-10 lbs. per acre. Scatter bait evenly as bait falls to ground through grass covering. Do not broadcast over growing crops or bare ground.

MACHINE BAITING with modified corn planter. Set plates to drop one kernel per inch along a line just inside the drip line on both sides of the tree. Apply 3 to 6 lbs. per acre.

SPOT OR TRAIL BAITING: Place one teaspoon of bait at four or five foot intervals in machine made or natural surface trails and/or at the mouth of holes leading to underground burrow systems.

Two to four bait spots (one teaspoon each) should be made near the base of each infested tree.

Cover bait by pulling overhanging grass back into place. Do not disturb the runway system.

Apply 2 to 3 lbs. bait per acre.

BAIT BOXES: Bait boxes containing one tablespoon of Orchard Mouse Bait can also be placed around barns and fruit and vegetable storage areas. Use only a bait box arrangement that prevents animals and children from reaching the bait.

CONDITIONS OF SALE: Seller guarantees material to be true to label description. Seller makes no representation or warranty further than preceding and shall not be held responsible for any injury to crop, soil, person or property resulting from the use or handling of said material. Climatic, soil conditions and other factors beyond seller's control have much to do with results. The buyer and/or user accepts and uses this material subject to the above conditions of sale.

BONIDE CHEMICAL CO., INC.

UTICA, NEW YORK 13502

1-315-724-7921