

BONIDE
SYSTEMIC GRANULES
 CONTAINS *DI-SYSTON

ACTIVE INGREDIENT:
 O,O-Diethyl S-[2(ethylthio)ethyl]
 phosphorodithioate 2%
 INERT INGREDIENTS: 98%

DI-SYSTON is a Reg. T.M. of the parent company
 of Farbenfabriken Bayer GmbH, Leverkusen.

KEEP OUT OF REACH OF CHILDREN

WARNING
 Poisoning may occur as a result of exposure. Wear rubber gloves. May be fatal if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. In case of contact, remove contaminated clothing and wash skin immediately with soap and water. Do not get in eyes. Do not contaminate feed or food. Keep children and pets away from treated areas. Wash hands and face after use. Do not use in areas where it is completely dry. Antidote: Atropine is antidote.
 This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
 Do not reuse empty container. Dispose of by burying or burning.

Packed and Distributed by
BONIDE CHEMICAL CO., INC. Yorkville, N.Y. 13495
 E.P.A. Est. No. 4-NY-1 E.P.A. Reg. No. 4-153

NET WEIGHT 2 OZ.
 © 1974 BONIDE

ACCEPTED
OCT 14 1977
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 4-153
 EPA Reg. No. 4-153

FOR POTTED PLANTS

FOR FLOWERS TO CONTROL

- | | |
|---------------|---------------------|
| Ageratum | Aphids (plant lice) |
| Calendula | Lace bug |
| Carnation | Leafhoppers |
| Chrysanthemum | Spider mites |
| Delphinium | Thrips |
| Petunia | Whiteflies |

**SAFETY CAP:
 HOLD CONTAINER UPRIGHT
 ON FLAT SURFACE WHILE
 OPENING AND CLOSING.**

RECOMMENDED APPLICATIONS

AMOUNT TO USE

BEFORE PLANTING: Apply 2 ounces per 12½ square feet (5x2½ ft.) and work into soil. Sow seed or set plants in normal manner and water thoroughly.
GROWING PLANTS: For Individual Plants: Apply 1 level teaspoonful around base of plant, work into soil and water thoroughly.
FOR FLOWERS IN A ROW: Apply 2 ounces to each 6 feet of row, in a narrow band near base of plants. Work into top soil and water thoroughly. Repeat application at 4-to-6-week intervals if insects reappear.
POTTED PLANTS: Apply one level teaspoonful per 6-inch pot. Mix thoroughly into top soil and drench with water.

FOR SHRUBS TO CONTROL

- | | |
|--------------|---------------------|
| Azalea | Aphids (plant lice) |
| Euonymus | Camelia Scale |
| Pyracantha | Lace Bug |
| Rhododendron | Leafhopper |
| Roses | Soft Scale |
| Spirea | Spider Mites |
| | Tea Scale |
| | Thrips |
| | Whiteflies |

AMOUNT TO USE

Shrubs 1-2 ft. tall, 1 oz. per foot of height.
 Apply granules uniformly over the area under the shrub canopy; work into soil and water thoroughly. Repeat application at 4-to-6-week intervals, if required.
POTTED PLANTS: Apply one level teaspoon per 6 inch pot. Mix thoroughly into top soil and drench with water.

Buyer's Guarantee Limited to Label Claims and Refund of Purchase Price.

BONIDE
SYSTEMIC GRANULES
 CONTAINS *DI-SYSTON

**CONTROLS
 WHITEFLY, APHIDS, SPIDER MITES
 ON ROSES, SHRUBS, FLOWERS**

ACTIVE INGREDIENT:
 O,O-Diethyl S-[2(ethylthio)ethyl]
 phosphorodithioate 2%
 INERT INGREDIENTS: 98%

**WARNING: KEEP OUT OF REACH OF CHILDREN
 SEE SIDE PANEL FOR ADDITIONAL WARNINGS**

DI-SYSTON is a Reg. T.M. of the parent company
 of Farbenfabriken Bayer GmbH, Leverkusen.

HOW INSECTS ARE KILLED:

Protects roses, chrysanthemums, azaleas, pyracantha, spirea, and other flowers and shrubs from damage by aphids, spider mites, thrips, whiteflies, lace bugs, leafhoppers.

SYSTEMIC GRANULES enter a plant through its roots (systemic action) and then moves to all parts of the plant through natural growth and sap flow. Working from inside of the plant, it kills sucking insects that feed on the plant.

HOW TO USE:

Apply the ready-to-use granules uniformly (see Recommended Applications) to the soil around the base of the plant. Mix the granules into the top soil, then water. The

**KEEP OUT OF REACH OF CHILDREN
 WARNING**
 Poisoning may occur as a result of exposure. Wear rubber gloves. May be fatal if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. In case of contact, remove contaminated clothing and wash skin immediately with soap and water. Do not get in eyes. Do not contaminate feed or food. Keep children and pets away from treated area until product is worked and watered into soil and treated area is completely dry. Antidote: Atropine is antidote.
 This product is toxic to fish, birds, and other wild life. Keep out of lakes, streams, or ponds. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
 Do not reuse empty container. Dispose of by burying or burning.

Packed and Distributed by
BONIDE CHEMICAL CO., INC. Yorkville, N.Y. 13495
 E.P.A. Est. No. 4-NY-1 E.P.A. Reg. No. 4-153
NET WEIGHT 2 OZ. © 1974 BONIDE

chemical, released from the granules, will leach into the root zone and be absorbed into the plant. The granules can also be scattered over planting beds and mixed into the top soil before sowing seed or setting bulbs or transplants. Additional applications of SYSTEMIC GRANULES can be made as needed to maintain insect control after the plants start to grow.

RESTRICTION:

Do not apply broadcast applications to lawns.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

LIFT OR CUT SEAL FOR ADDITIONAL INFORMATION

4-153

10-14-77

1 of 1