

[102]


BONIDE

TRIPLE-ACTIVE
FOG, DUST OR SPRAY INSECTICIDE

(READY FOR USE OUTDOORS)

Kills mosquitos, blackflies, ticks
(gnats), bees, hornets, wasps, flies,
spiders, fleas, ants, crickets, brown
dog ticks, flying moths, roaches

ACTIVE INGREDIENTS:	USDA Reg. No. 4-154
Malathion (0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate).....	3.00%
*Methoxychlor, technical.....	3.00%
**Beta-butoxy beta'-thiocyanate diethyl ether.....	0.53%
Xylene.....	6.66%
Petroleum Distillate.....	86.95%
INERT INGREDIENTS:	0.16%
*Equivalent to 2.64% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and .36% of other isomers and reaction products	
**Equivalent to 1% Lethane	



CAUTION: KEEP OUT OF REACH OF CHILDREN
(See side panel cautions)

Buyer's Guarantee Limited to Label Claims

- 1 QT. NET
- or 1 GAL. NET
- or 5 GAL. NET

Side Panel [292]

Bonide TRIP-L-KIL Insecticide contains three active ingredients: Malathion, Methoxychlor and Lethane for maximum control at temperatures likely to be encountered during desired control periods. Trip-L-Kil is designed for use in all thermal foggers, (500 Aero-Dyne-Bernzomatic, Dynafog, Blitzfog, Tifa, Lawn mower exhaust attachments and others), Microsols, Mist Sprayers and Hand Sprayers. It has been final filtered to safeguard against nozzle plugging and contains no emulsifier. Trip-L-Kil fog or spray insecticide is ready for use to kill flying insects listed by fogging or misting infested outdoor areas where water, food and feed crops would not be present.

D I R E C T I O N S

THERMAL FOGGING: To control flying insects - Make applications in still air or when wind velocities are under 5 miles per hour. These conditions are usually found at dawn or dusk. With Aero-Dyne, Dynafog, Blitzfog, Bernzomatic, Tifa and other machines the rate of application should be 40 gallons per hour with machine, and moving at 5 miles per hour (low gear) (0.1 to 0.2 lbs. each Malathion & Methoxychlor and .03 to .06 lbs. Lethane per acre). Pay particular attention to areas of shaded or heavy growth where insects harbor or congregate.

MICROSOLS & MIST SPRAYERS: Apply sufficient material to blanket the area being treated. Make repeat treatments as needed.

ANIMAL BUILDINGS (Horse barns, shelter sheds, stables and dog kennels): For control of flying insects and spiders, fleas, ants, sowbugs, brown dog ticks and roaches, apply to doorways, alley ways, window sills, runways, baseboards, cracks, walls, doors or where insects harbor or congregate. Fog Mist or spray at rate of 1 - 2 pints per 1,000 sq. ft. of surface area. Apply when animals are outside.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid prolonged breathing of spray mist or fog or repeated skin contact.

Wash thoroughly after use. Avoid contamination of feed, foodstuffs and watering troughs.

This product will kill fish. Keep out of any body of water.

Do not apply directly to ornamental plants or foliage; to do so may cause injury.

Do not reuse empty container; destroy by perforating or crushing and bury or discard in safe place.

Manufactured by

B O N I D E C H E M I C A L C O . , I N C .

Utica, New York 13502