

Bonide TRIP-L-KIL Insecticide contains three active ingredients: Malathion, Methoxychlor and Lethane for maximum control at temperatures likely to be encountered during desired control periods. Trip-L-Kil is designed for use in all thermal foggers, (500 Aero-Dyne Dynafog, Blitzfog, Tifa, Lawn Mower exhaust attachments and others), Microsols, Mist Sprayers and Hand Sprayers. It has been final filtered to safeguard against nozzle plugging and contains no emulsifier. Trip-L Kil fog or spray insecticide is ready for use to kill flying insects listed by fogging or misting infested outdoor areas where water, food and feed crops would not be present.

MANUFACTURED BY
BONIDE CHEMICAL CO., INC.
 Utica, New York 13502

BONIDE

TRIP-L-KIL

FOG, MIST or SPRAY INSECTICIDE

(ready for use outdoors)

**KILLS MOSQUITOES, BLACKFLIES, PUNKIES (Gnats), BEES,
 HORNETS, WASPS, FLIES, SPIDERS, FLEAS, ANTS,
 SOWBUGS, BROWN DOG TICKS,
 FLYING MOTHS, ROACHES**

ACTIVE INGREDIENTS: USDA Reg. No. 4154
 Malathion (O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate) . . . 3.00%
 *Methoxychlor, Technical 3.00%
 *Beta-cyano beta-thiocyanate diethyl ether 0.53%
 Xylene 6.66%
 Petroleum Distillate 86.65%
 INERT INGREDIENTS: 0.16%
 *Equivalent to 2,6,4% of 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and .36% of
 other isomers and reaction products.
 *Equivalent to 1% Lethane.

Buyer's Guarantee Limited to Label Claims

CAUTION: KEEP OUT OF REACH OF CHILDREN

(See side panel cautions)

5 GALLONS NET

DIRECTIONS

Thermal Fogging: To control flying insects — make applications in still air or when wind velocities are under 5 miles per hour. These conditions are usually found at dawn or dusk. With Aero-Dyne, Dynafog, Blitzfog, Tifa and other machines the rate of application should be 40 gallons per hour with machine moving at 5 miles per hour (low gear) (0.1 to 0.2 lbs. each Malathion, Methoxychlor and .03-.06 lbs. Lethane per acre). Pay particular attention to areas of shaded or heavy growth where insects harbor or congregate.

Microsols & Mist Sprayers: Apply sufficient material to blanket the area being treated. Make repeated treatments as needed.

Animal Buildings: (Horse barns, shelter sheds, stables and dog kennels): For control of flying insects and spiders, fleas, ants, sowbugs, brown dog ticks and roaches, apply to doorways, alley ways, window sills, runways, baseboards, cracks, walls, doors or where insects harbor or congregate. Fog Mist or spray at rate of 1 - 2 pints per 1,000 sq. ft. of surface area. Apply when animals are outside.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid prolonged breathing of spray mist or fog or repeated skin contact.

Wash thoroughly after use. Avoid contamination of feed, foodstuffs and watering troughs.

This product will kill fish. Keep out of any body of water.

Do not apply directly to ornamental plants or foliage, to do so may cause injury.

Do not reuse empty container, destroy by perforating or crushing and bury or discard in a safe place.

2/2

1461-01-S

451-4

ACCEPTED
MAY 12 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 154 SUBJECT
TO ATTACHED COMMENTS.

2/2