

PM 12

7003

Ms. A.B. Olson
Bonide Chemical Co., Inc.
2 Wurz Avenue
Yorkville, NY 13495

JUN 17 1986

Dear Ms. Olson:

Subject: General Revision of Label
Bonide Trip-L-Kil Fog, Mist, or Spray Insecticide
EPA Registration No. 4-154
Your Application Dated March 13, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At your next printing of labels, make the following revisions:

1. In your Environmental Hazards paragraph, revise the sentence:

Keep out of lakes, streams, or ponds.

to read:

Do not apply directly to water.

2. Revise the If Swallowed section of your Statement of Practical Treatment to read:

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of possible aspiration hazard.

Sincerely yours,

LJS
Lawrence J. Schnaubelt
Acting Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

92975:Schnaubelt:E-6:KENC0:5/139864721/86:DKD:VO

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

Bonide TRIP-L-KIL Insecticide contains three active ingredients: Malathion, Methoxychlor and Lethane for maximum control at temperatures likely to be encountered during desired control periods. Trip-L-Kil is designed for use in all thermal foggers, (500 Aero-Dyne, Dynafog, Blitz-fog, Tifa, Lawn Mower exhaust attachments and others), Microsols, Mist Sprayers and Hand Sprayers. It has been final filtered to safeguard against nozzle plugging and contains no emulsifier. Trip-L-Kil fog or spray insecticide is ready for use to kill flying insects listed by fogging or misting infested outdoor areas where water, food and feed crops would not be present.

Thermal Fogging: To control flying insects — make applications in still air or when wind velocities are under 5 miles per hour. These conditions are usually found at dawn or dusk. With Aero-Dyne, Dynafog, Blitzfog, Tifa and other machines the rate of application should be 40 gallons per hour with machine moving at 5 miles per hour (low gear) (0.1 to 0.2 lbs. each Malathion, Methoxychlor and .03-.06 lbs. Lethane per acre). Pay particular attention to areas of shaded or heavy growth where insects harbor or congregate.

Microsols & Mist Sprayers: Apply sufficient material to blanket the area being treated. Make repeated treatments as needed.

Animal Buildings: (Horse barns, shelter sheds, stables and dog kennels): For control of flying insects and spiders, fleas, ants, sowbugs, brown dog ticks and roaches, apply to doorways, alley ways, window sills, runways, baseboards, cracks, walls, doors or where insects harbor or congregate. Fog Mist or spray rate of 1-2 pints per 1,000 sq. ft. of surface area. Apply when animals are outside.

Buyer's Guarantee Limited to Label Claims

Mfg. by BONIDE CHEMICAL CO., INC., Yorkville, N.Y. 13495

BONIDE®

TRIP-L-KIL

FOG, MIST or SPRAY INSECTICIDE

(ready for use outdoors)

KILLS MOSQUITOES, BLACKFLIES, PUNKIES (Gnats), BEES, HORNETS, WASPS, FLIES, SPIDERS, FLEAS, ANTS, SOWBUGS, BROWN DOG TICKS, FLYING MOTHS, ROACHES

EPA Est. 4-NV-1 EPA Reg. No. 4-154

- ACTIVE INGREDIENTS:**
- Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) 3.00%
 - Methoxychlor, technical 3.00%
 - Beta-butylol beta -thiocyanate diethyl ether 0.53%
 - Xylene 6.65%
 - Petroleum Distillate 86.65%
- INERT INGREDIENTS:** 0.16%
- Equivalent to 2.64% of 2,2-bis(4-methoxyphenyl)-1,1,1-trichloroethane and .35% of other isomers and reaction products.
- Equivalent to 1% Lethane.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 (See side panel cautions)

- 1 Qt. Net
- 1 Gal. Net

BONIDE®

TRIP-L-KILL

FOG, MIST or SPRAY INSECTICIDE

(ready for use outdoors)

MOSQUITOES, BLACKFLIES, PUNKIES (Gnats), BEES,
HORNETS, WASPS, FLIES, SPIDERS, FLEAS, ANTS,
SOWBUGS, BROWN DOG TICKS,
FLYING MOTHS, ROACHES

EPA Est. 4-NT-1 EPA Reg. No. 4-154

ACTIVE INGREDIENTS:
Dibutyltin (O,O-dimethyl dithiophosphate or diethyl mercaptosuccinate) 3.00 %
Dibutyltin dichloride 3.00 %
Dibutyltin diethyl ether 0.53 %
Dibutyltin diisobutyl ether 6.66 %
Dibutyltin diisobutyl ether 66.65 %
Dibutyltin diisobutyl ether 0.16 %
OTHER INGREDIENTS:
Total 100.00 %
Equivalent to 2.64 % of 2,2-bis[4-methylphenyl]-1,1-trichloroethane and .36 % of other isomers
and reaction products.
Contentment to 1 1/4 Lethane.

KEEP OUT OF REACH OF CHILDREN
CAUTION
(See side panel cautions)

- 1 Qt. Net
- 1 Gal. Net

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS — CAUTION

Harmful if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe vapor, mist or spray. Do not get in eyes, on skin or clothing; wash contaminated clothing, shoes or boots before reuse. Do not contaminate animal feed, water or foodstuffs. Wash thoroughly with soap and water after handling and before eating or smoking.

Statement of Practical Treatment

- If swallowed:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Atropine is antidotal.
- If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin:** Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes:** Flush eyes with plenty of water. Call a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to ornamental plants or foliage; to do so may cause injury. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agriculture Extension Service.

PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage: Store in a cool, dry place, and in an area inaccessible to children or pets.
Container Disposal: Wrap container in newspaper and place in trash collection.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 17 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4-154