

Registration of Pesticide Products for Federal Use  
 EPA Reg. 212, Federal Register, Vol. 17, No. 10, p. 10,000

Home Environmental Area Usage: See front panel listing for use with foggers, misters, aerosols and space sprays such as Aerodyne "500," Dynalug, Tifa, Swing Fog, Microsol, Vibro-Fog and others

**TO CONTROL** flies, flying insects, moths, gnats, hornets, mosquitoes and wasps.  
**Indoors:** Use only space or contact sprays indoors. Do not use fog. Occupants should vacate the premises before treatment and should not re-occupy until thoroughly ventilated after treatment (opening several doors and windows to create air current which dissipates the vapors). Use only space or contact sprays indoors. Do not use fog. Do not apply to skin or animals. Remove birds and pets, cover fish bowls and aquaria before application. Human and pet food and food handling equipment should be removed or covered with wrapping paper. Apply upwards into four corners of the room, 10-15 seconds per 1,000 cu. ft. of room space (average room 15-20 seconds). Close doors and windows for about 15 minutes after treatment. Repeat as necessary. To control hornets and wasps on nests spray nests directly at night.

**Outdoors:** Best results are obtained in still air. Strong wind dissipates fog too rapidly for good results. Apply 1 1/4 gallon per acre of lawn and shrubbery—a thorough application around outdoor areas to repel and kill annoying flying insects. Use dense fog (3-7 second application) around dark, moist shrubbery and insect hiding places for flies, mosquitoes, and wasps. Repeat as necessary. Avoid close direct application to shrubs as spotting or injury may result. Do not apply in areas where food crops may be contaminated. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift.

**To Control ants, centipedes, cockroaches, millipedes, silverfish, spiders and ticks:** Apply to cracks of woodwork, wall, floors around doors, window frames, baseboards, behind shelving of storage areas and other places where these insects may congregate, walk or hide. Apply to ant trails around doors and window sills. Do not apply to areas where will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, containers or cooking utensils. Do not treat animals.

**To Control fleas & ticks:** Apply to animal sleeping quarters freely, force insecticide into cracks in floors and about the room. Fresh bedding should be placed in animal quarters after treatment. Repeat as necessary. Observe cautions under Indoor Uses above.

**To Control bedbugs:** Take bed apart and spray entire surface of bedstead, mattress and springs. Spray thoroughly into cracks and joints in bedstead and on tufts and seams of mattress. Do not spray general surface of mattress. Spray on and under baseboards, moldings, cracks in floors and walls, underneath loose wall paper and other places where insects may be found. Air mattress until completely dry (at least 4 hours before re-use).

**To Control fly maggots in breeding areas (manure piles and garbage dumps):** Apply 1-2 quarts per 100 sq. ft., 10y. x 10y. area. Do not treat areas where food, animal feed, or crops are growing. Birds feeding on treated areas may be killed.

Buyer's guarantee limited to label claims

Manufactured by

**BONIDE PRODUCTS, INC. • YORKVILLE, NY 13495**

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS — CAUTION**  
 Harmful if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe vapor, mist or spray. Do not get in eyes, on skin or clothing. Wash contaminated clothing, shoes or boots before re-use. Do not contaminate animal feed, water or foodstuffs. Wash thoroughly with soap and water after handling and before eating or smoking.  
**Statement of Practical Treatment**  
 If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated. If on skin — Remove contaminated clothing and wash affected areas with soap and water. If in eyes — Flush eyes with plenty of water. Call a physician.  
 Note to Physician — Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.  
**ENVIRONMENTAL HAZARDS** — This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of equipment washwaters.  
**PHYSICAL OR CHEMICAL HAZARDS** — Do not use or store near heat or open flame.

**DIRECTIONS FOR USE** — It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**  
**Storage:** Keep pesticide in original container. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Do not reuse container. Discard empty container in trash.