

CAUTION

Harmful if swallowed. Avoid inhaling fumes or contact with skin, eyes or clothing. In case of contact, and before continuing use, with eyes — flush with plenty of water; skin — wash thoroughly with soap and water; clothing — remove and wash before reuse. Avoid contamination of water for irrigation or domestic use.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

To minimize spray and vapor drift choose a calm day and use coarse spray. Drift can injure, even kill, desirable flowers, vegetables and shrubs. Vapors from this product may cause injury to desirable crop plants growing nearby. Do not apply Kilbrush when rain is expected nor water within 24 hours. Failure to use a different or thoroughly cleaned sprayer for other purposes after weed killers may result in desirable plants being killed. To clean sprayers. Rinse tank, hose and nozzle several times with hot water and soap or Trisodium Phosphate (2 tbspn. per gallon). Fill tank and hose with solution of household ammonia (2 tbspn. per gallon of water) and allow to stand over night. Then remove solution and rinse thoroughly with clean water. Do not store near fertilizers, seeds, insecticides or fungicides.

Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not use around the home, recreation areas, or similar areas.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

Buyer's Guarantee Limited to Label Claims

© 1974 & Mfg. by BONIDE CHEMICAL CO., INC., YORKVILLE, N.Y. 13495



KILLS POISON IVY


Contains 2,4-D and 2,4,5-T in Volatile Butyl Ester Formula

EPA Est. 4:NY-1
EPA Reg. No. 4:164

ACTIVE INGREDIENTS:
 • Butyl 2,4,5-Trichlorophenoxyacetate 9.8%
 • Butyl 2,4-Dichlorophenoxyacetate 20.0%
INERT INGREDIENTS 70.2%

* Equivalent to 2,4,5-Trichlorophenoxyacetic Acid 8% by weight or 3/4 lb. per gallon.
 ** Equivalent to 2,4-Dichlorophenoxyacetic Acid 16% by weight or 1 1/4 lbs. per gallon.

CAUTION: KEEP OUT OF REACH OF CHILDREN
 (See side panel cautions) **1 QT. NET**



KILBRUSH will kill these weeds and woody plants:

- | | | | |
|--------------------|------------------------|---------------------|-------------------------|
| <u>Poison Ivy</u> | <u>Clover</u> | <u>Chestnut</u> | <u>Black Locust</u> |
| <u>Poison Oak</u> | <u>Alder</u> | <u>Cottonwood</u> | <u>Osage Orange</u> |
| <u>Brambles</u> | <u>Aspen</u> | <u>Elderberry</u> | <u>Wild Plum</u> |
| <u>Sumac</u> | <u>Black Birch</u> | <u>American Elm</u> | <u>Cherokee Rose</u> |
| <u>Honeysuckle</u> | <u>Wild Blackberry</u> | <u>Grape</u> | <u>Tamarish</u> |
| <u>Dandelion</u> | <u>Box Elder</u> | <u>Hawthorn</u> | <u>Virginia Creeper</u> |
| <u>Chickweed</u> | <u>Buckbrush</u> | <u>Hazel</u> | <u>Black Walnut</u> |
| <u>Plantain</u> | <u>Wild Cherry</u> | <u>Lead Plant</u> | <u>Willow</u> |

KILBRUSH, for more effective control of weeds and woody plants is a volatile butyl ester of 2,4-D and 2,4,5-T. Apply when weeds are young and actively growing.

DIRECTIONS

To Kill Weeds and Brush listed on the side panel including poison ivy along fence rows, vacant lots or other similar areas where no desirable crop plants are grown. Mix 3 tablespoons to each gallon water (1 pint to 10 gallons). Apply a thorough drenching spray, wetting plants completely, when plants are in full leaf (mid-summer to fall) for best results. Repeat application if necessary 3-4 weeks later. Don't burn killed poison ivy, as smoke is poisonous on skin.

Site: 200 cup area

CAUTION

Harmful if swallowed. Avoid inhaling fumes or contact with skin, eyes or clothing. In case of contact, and before continuing use, with eyes — flush with plenty of water; skin — wash thoroughly with soap and water; clothing — remove and wash before reuse. Avoid contamination of water for irrigation or domestic use.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

To minimize spray and vapor drift choose a calm day and use coarse spray. Drift can injure, even kill, desirable flowers, vegetables and shrubs. Vapors from this product may cause injury to desirable crop plants growing nearby. Do not apply Kilbrush when rain is expected nor water within 24 hours. Failure to use a different or thoroughly cleaned sprayer for other purposes after weed killers may result in desirable plants being killed. To clean sprayers: Rinse tank, hose and nozzle several times with hot water and soap or Trisodium Phosphate (2 tbsps. per gallon). Fill tank and hose with solution of household ammonia (2 tbsps. per gallon of water) and allow to stand over night. Then remove solution and rinse thoroughly with clean water. Do not store near fertilizers, seeds, insecticides or fungicides.

Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not use around the home, recreation areas or similar areas.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

Bonide Chemical Co. Inc., Yorkville, N.Y.

1974 & Mfg. by BONIDE CHEMICAL CO., INC., YORKVILLE, N.Y. 13495



ACTIVE INGREDIENTS:
 * Butyl 2,4,5-T, chlorophenoxyacetate 9.8%
 ** Butyl 2,4-Dichlorophenoxyacetate 20.0%
 INERT INGREDIENTS 70.2%
 * Equivalent to 2.4,5-Trichlorophenoxyacetic Acid 8% by weight or 3/8 lb. per gallon.
 ** Equivalent to 2,4-Dichlorophenoxyacetic Acid 16% by weight or 1 1/2 lbs. per gallon.

CAUTION: KEEP OUT OF REACH OF CHILDREN
 (See side panel cautions) 1 QT. NET

KILBRUSH will kill these weeds and woody plants:

- | | | | |
|-------------|-----------------|--------------|------------------|
| Poison Ivy | Clover | Chestnut | Black Locust |
| Poison Oak | Alder | Cottonwood | Osage Orange |
| Brambles | Aspen | Elderberry | Wild Plum |
| Sumac | Black Birch | American Elm | Cherokee Rose |
| Honeysuckle | Wild Blackberry | Grape | Tamarisk |
| Dandelion | Box Elder | Hawthorn | Virginia Creeper |
| Chickweed | Buckbrush | Hazel | Black Walnut |
| Plantain | Wild Cherry | Lead Plant | Willow |

KILBRUSH, for more effective control of weeds and woody plants is a volatile butyl ester of 2,4-D and 2,4,5-T. Apply when weeds are young and actively growing.

DIRECTIONS

To Kill Weeds and Brush listed on the side panel including poison ivy along fence rows, water fronts or other similar areas where no desirable crop plants are grown. Mix 3 tablespoons to each gallon water (1 pint to 10 gallons). Apply a thorough drenching spray, wetting plants completely, when plants are in full leaf (mid-summer to fall). Reapply if necessary 3-4 weeks later. Don't burn killed poison ivy as smoke is poisonous.

