

SELF APPLICATOR FLY CONTROL ON CATTLE: (except dairy animals) — For control of hornflies dilute 1 gal. to 4 gals. of diesel fuel or furnace type oil. Do not use other type oil. Use 1 gal. of solution to saturate burlap on "back rubber," soak burlap every 2 to 3 weeks.

CONTACT AND SPACE SPRAY FOR HOUSEFLIES, STABLE FLIES AND MOSQUITOES: To reduce populations in farm buildings, dilute 1 pint with 2½ gals. water and apply in space by mist blower or directly to insects by hydraulic sprayer, hand sprayer or cylindrical pressure sprayer. Care should be taken to avoid contamination of milk handling equipment, feedstuffs, feed troughs and watering receptacles. Dairy animals should not be present while spraying. Do not apply in poultry houses.

ELM TREES (ELM BARK BEETLES): In order to prevent feeding and to aid in control of Dutch Elm Disease, a dormant application should be made in the spring before any leaves appear. Temperature should be above 40° F. To avoid danger of spray freezing before it dries.

Hydraulic Sprayers: Add 8 gals. to 100 gals. water. Apply 20-30 gals. per 50 foot elm tree, taking care to wet all bark on the trunk, limbs and twigs.

Mist Blowers: Add 5 gals. per 10 gals. of water. Mist 2-3 gals. per 50 foot elm tree, taking care to obtain thorough coverage of all bark surfaces.

GRAIN STORAGE BINS: To clean up infestations in empty storage bins, use one gallon in 10 gallons of water applied at the rate of 2 gals. spray per 1,000 sq. ft. before products are stored. Aids in control of Cadelle, flat grain beetle, saw-toothed grain beetle, lesser grain borer, red flour beetle, foreign grain beetle and hairy fungus beetle.

NOTE: Do not add grain to bin for at least 24 hours until walls have dried out thoroughly.

Buyer's guarantee limited to label claims.

Manufactured by BONIDE CHEMICAL CO., INC., Utica, N. Y. 13502

# BONIDE

## METHOXYCHLOR 25% E INSECTICIDE

For control of insect pests of livestock, crops,  
stored grain, farm buildings and elm trees.

ACTIVE INGREDIENTS:	U.S.D.A. Reg. No. 4-165
*Methoxychlor, technical	25%
Xylene	63%
Heavy Aromatic Naphtha	7%
INERT INGREDIENTS:	5%
*equivalent to 22% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 3% of other isomers and related compounds. Contains 2 lbs. methoxychlor technical per gallon.	

**CAUTION:** KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and clothing. May be absorbed through the skin. Avoid breathing spray mist. Harmful if swallowed.

Avoid contamination of feed and foodstuffs. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to fish. Keep out of any body of water.

**FLAMMABLE MIXTURE:** Keep away from heat and open flame.

ONE GALLON

4-165

6/1/1971

Page 132

