

## CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. In case of contact and after use wash or flush with water.

Avoid contamination of feed, foodstuff, fish ponds, water supplies and streams. Store in cool dry area but not near seeds, fertilizers, insecticides or fungicides. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not use on flowers, vegetables or ornamental beds. On Bermuda, St. Augustine, bent, Dichondra and carpet grass lawns spot treat only as injury may occur. Avoid application on or near desirable trees and other plants, or on areas over their root systems or where movement and washing may cause contact with roots. Do not reuse container. Destroy by burying in a safe place. Do not burn.

Starting Point suggested spreader settings:

Make & Model	Setting	Make & Model	Setting
Scott	8	Montgomery Ward 89 1081	8
Jackson 18 26 18"	7	Salem Micro Set 22"	7
Sears-Roebuck Cross Country 19"	7	Cyclone B 5' Swath	
Lawn Beauty	7	(Still Air Only)	6

EPA's Guarantee Limited to Label Claims.

Manufactured by

**BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502**

# BONIDE LAWN WEED KILLER

W/BANVEL™ D & 2,4-D

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRY.

**Kills dandelion, plantain, buckhorn, thistle, sow thistle, poison ivy, poison oak, ground ivy, ragweed, burdock, nettle, pennywort, pigweed, healall, sheep sorrel, yarrow, wild onion, purslane, chicory, gypsium weed, black medic and white clover in established lawns.**

**ACTIVE INGREDIENTS**

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid  
Dimethylamine salt of dicamba (3,6-dichloro o-anisic acid)  
Dimethylamine salts of related acids

**INERT INGREDIENTS**

Equivalent to 2,4-Dichlorophenoxyacetic acid: 1.5  
Equivalent to 3,6-dichloro o-anisic acid (dicamba): 0.5  
Total net weight registered trademark of the Velsicol Chemical Co., Utica, N.Y.

USDA Reg. No. 1-1009

TREATS 5,000 SQUARE FEET — A 50 FOOT BY 100 FOOT LAWN AREA  
Just Pour in Spreader and Walk Clean. Easy to Use. Dry Granules

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
(See rear panel other cautions) NET WT. 7 LBS.

## DIRECTIONS

- 1.) Mow lawn 2-4 days prior to application and delay mowing for three days after application.
- 2.) Choose a calm period (to avoid wind drift of material to valuable plantings) when rain or wet expected for 24 hours. Early morning when lawn is moist with dew or after a light shower or hose watering is the best time to apply.
- 3.) Measure area to be treated and apply contents of this bag to area listed on front of bag. Weeds may be spot treated by lightly sifting direct from bag. Spreader settings for 1/4 inch wide openings will work on most spreaders but due to wear and different walking rates, adjust your spreader to avoid gross under or over dose. Other suggested spreader settings on list below. Avoid overlapping and double coverage in backing up or turning. Close spreader at those times and before filling spreader. Push shut-off open when re-starting. Keep machine handle low or container of machine vertical to ground level. In case of accidental heavy overdose, watering the overdosed area will reduce or prevent damage.
- 4.) Do not water the lawn after application. Twisting and loss of color of weeds within 7 days indicates effectiveness.
- 5.) It is not essential that dead or dying weeds be raked out. Bare spots may be reseeded three weeks after application, 2 to 3 days prior to reseeding, heavily water the lawn.

## LAWN WEED KILLER

Lawn Weed Killer can be applied any time spring, summer or fall for general weed control. Application during warm periods 60-85° when weeds are actively growing gives best results. During cool or cold periods action is slow and retreatment may be necessary. Do not apply to a new lawn until after second regular mowing.

