

**IMPORTANT**

Choose a warm, (at least 60°), calm day when weeds and brush plants are actively growing. Use a coarse spray and avoid drift. Spray drift can injure desirable flowers, vegetables and shrubs. Avoid contamination of water for irrigation or domestic uses and do not store near fertilizers, seeds, insecticides or fungicides. Failure to use different or thoroughly cleaned sprayer for insecticides, etc., may result in desirable plants being killed. To clean sprayers after weed killing: Rinse several times with hot water and soap or Trisodium Phosphate (2 tblspn. per gallon). Fill tank with solution of household ammonia (2 tblspn. per gallon of water) and allow to stand over night. Be sure to clean hose and nozzle.

**DILUTION TABLE**

AMOUNT OF WATER TO USE	AMOUNT OF WEED KILLER TO USE	
	LAWNS	HARDY WEEDS
1 GALLON	4 TEASPOONFULS	2 1/2 TABLESPOONFULS
3 GALLONS	4 TABLESPOONFULS	7 1/2 TABLESPOONFULS
5 GALLONS	6 1/2 TABLESPOONFULS	12 1/2 TABLESPOONFULS
50 GALLONS	1 QUART	2 QUARTS

Buyers Guarantee Limited to Label Claims

Manufactured by

**BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502**

**BONIDE**

**WEED KILLER**

CONTAINS 2,4-D PLUS BANVEL "D"

**Kills Weeds in Lawns**

*Kills: ryegrass, dandelion, chickweed, dock, couchgrass, plantain, white morning glory, clover, poison ivy, yellow oak, summer, bermuda, ground ivy, zinnia, knotweed, mustard, wild aster, carrot, garlic-onion and redish, kneweed, oxalis, etc.*

**ACTIVE INGREDIENTS:**  
 Dimethylamine salt of 2,4-dichlorophenoxyacetic acid ..... 13.0%  
 Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid) ..... 1.5%  
 DIMETHYLAMINE SALT OF RELATED ACIDS ..... 1.3%  
**NET WEIGHTS:**  
 equivalent to 10.1% 2,4-dichlorophenoxyacetic acid or .91 lbs. per gallon ..... 85.2%  
 equivalent to 1.5% 3,6-dichloro-o-anisic acid or .11 lbs. per gallon

**WARNINGS: KEEP OUT OF REACH OF CHILDREN**  
 (See side panel cautions)

ONE PINT TREATS UP TO 5,000 SQ. FT.

**ACCEPTED**  
 MAR 24, 1971  
 ON BEHALF OF THE NATIONAL BUREAU OF STANDARDS  
 FOR THE CONTROL OF CHEMICALS  
 THIS PRODUCT HAS BEEN FOUND TO CONFORM WITH THE REQUIREMENTS OF THE FEDERAL INSECTICIDE ACT AND REGULATIONS THEREUNDER.

**WARNING:** May cause skin irritation. Avoid contact with eyes, skin and clothing. In case of contact or after use wash with soap and water. Do not take internally. Harmful or fatal if swallowed. If swallowed induce vomiting and call a physician. Store out of reach of children. Do not apply to newly seeded lawns until after the 3rd mowing. Do not reuse container. Destroy by burying in a safe place. Do not burn.

**DIRECTIONS**

**GRASS/LAWN TREATMENT:** Apply with hose attachment, hand or tank sprayer, sprinkle can or cane. Dilute according to table and apply one gallon of diluted spray to each 200 sq. ft. of lawn (20' x 10'), to control dandelion, plantain, buckhorn, chickweed, Japanese clover and certain other broadleaf weeds. *(During periods of hot weather 1/2 the amount of weed killer per gallon of water may be used. Apply when weeds are in active growth during spring, summer or fall. If rain is expected within 24 hours after treatment delay application. Do not use on Dichondra, Lippia, St. Augustine, Bent or Clover lawns or spot treat only the weeds. Do not apply to areas underlaid by desirable trees and shrubs.)*

**HARDY WEEDS, BRUSH PLANTS AND STUMP TREATMENT:** (in vacant lots, storage areas, along fences and around buildings). For control of burdock, *(this is morning glory)*, ragweed, yellow golden rod, poison ivy (in sunny places; control is doubtful in shady places), poison oak, sumac, brambles. Apply thoroughly covering top and undersides of leaves to point of dripping when in full leaf. As the density of foliage and growth will determine gallonage required consult dilution table for mixing. Do not burn killed poison ivy as smoke is poisonous on contact with skin. For stumps mix 8 oz. (16 lbs.) in one quart of diesel oil or kerosene and apply spray or brush all areas of stump thoroughly to prevent new growth and kill stump.

## IMPORTANT

Choose a warm, (at least 60°), calm day when weeds and brush plants are actively growing. Use a coarse spray and avoid drift. Spray drift can injure desirable flowers, vegetables and shrubs. Avoid contamination of water for irrigation or domestic uses and do not store near fertilizers, seeds, insecticides or fungicides. Failure to use different or thoroughly cleaned sprayer for insecticides, etc., may result in desirable plants being killed. To clean sprayers after weed killing: Rinse several times with hot water and soap or Trisodium Phosphate (2 tblspn. per gallon). Fill tank with solution of household ammonia (2 tblspn. per gallon of water) and allow to stand over night. Be sure to clean hose and nozzle.

### DILUTION TABLE

AMOUNT OF WATER TO USE	AMOUNT OF WEED KILLER TO USE	
	LAWNS	HARDY WEEDS
1 GALLON	4 TEASPOONFULS	2 1/2 TABLESPOONFULS
3 GALLONS	4 TABLESPOONFULS	7 1/2 TABLESPOONFULS
5 GALLONS	6 1/2 TABLESPOONFULS	12 1/2 TABLESPOONFULS
50 GALLONS	1 QUART	2 QUARTS

Buyers Guarantee Limited to Label Claims

Manufactured by

**BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502**

# BONIDE

## WEED KILLER

CONTAINS 2,4-D PLUS

### Kills Weeds

Kills ragweed, dandelion, chickweed, plantain, thistle, morning glory, poison oak, sumac, brambles, lambsquarter, mustard, wild radish, and radish, knotweed, oxalis.

**ACTIVE INGREDIENTS:**

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid  
 Dimethylamine Salt of dicamba (3,6-dichloro-2,4-dichlorophenoxyacetic acid)  
 Dimethylamine Salt of related acids

**INERT INGREDIENTS:**  
 equivalent to 10.7% 2,4-dichlorophenoxyacetic acid  
 .91 lbs. per gallon  
 equivalent to 1.5% 3,6-dichloro-o-anisic acid  
 .11 lbs. per gallon

**WARNINGS: KEEP OUT OF REACH OF CHILDREN**

(See side panel)

ONE PINT TREATS UP TO 100 SQ. FT.

FEDERAL INSECTICIDE ACT AND RODENTICIDE ACT  
 U.S. DEPARTMENT OF AGRICULTURE  
 FEDERAL POISON REGISTER  
 221-51

ACCEPTED