

B O N I D E

LAWN DISEASE CONTROL

for prevention & control of large brown patch & collar spot in lawns

CAUTION: KEEP OUT OF REACH OF CHILDREN. Do not inhale dust. Avoid contact with skin, eyes or clothing. In case of contact and after use, wash thoroughly with soap and water. For eyes flush with water.

Consumption of alcoholic beverages immediately prior to, or after use of, this product may cause nausea and vomiting.

Avoid contamination of feed or foodstuffs. Keep out of feeding and drinking dishes of pets.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

ACTIVE INGREDIENT: Thiram (tetramethylthiuramdisulphide).....10.0%  
INERT INGREDIENTS:.....90.0%  
USDA Reg. No. 4-180

D I R E C T I O N S

At 1½ lbs. per 1,000 sq. ft. (7½ lbs./5,000) 50 lbs. will treat 25,000 sq. ft. For control and prevention, apply during periods when conditions favor disease (warm humid weather). It may also be desirable to apply at shorter intervals of 7 days each.

During periods of no rain and dry conditions, water lawn or turf at rate of 10 gallons per 1,000 sq. ft. before application.

Buyer's guarantee limited to label claims

Manufactured by  
Bonide Chemical Co., Inc., Utica, New York 13502

50 LBS.

ACCEPTED  
JAN 28 1961  
4-180