

# Rose and Flower SPRAY OR DUST

Contains  
**SEVIN - FOLPET - KELTHANE**

**NEEDS**  
 1. 1/2 cup of water  
 2. 1/2 cup of soap  
 3. 1/2 cup of water  
 4. 1/2 cup of water  
 5. 1/2 cup of water  
 6. 1/2 cup of water  
 7. 1/2 cup of water  
 8. 1/2 cup of water  
 9. 1/2 cup of water  
 10. 1/2 cup of water

**ACCEPTED**  
 UNDER THE FEDERAL  
 FUNGICIDE ACT OF 1948  
 FOR LOCUM TENENS USE  
 UNDER NATIONAL  
 TO ATTACHED COMMENTS

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

1 LB. NET

**DIRECTIONS**  
 For use on roses and flowers...  
 Apply to cover all parts of plant and foliage...  
 Repeat at weekly intervals or as necessary...

**CAUTIONS: HARMFUL IF INHALED OR SWALLOWED.** Do not breathe dust. Do not take internally. Avoid contamination of feed and foodstuffs. Skin contact may be harmful. Avoid unnecessary contact. In case of contact and after use, wash with soap and water. Note for Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. **KEEP OUT OF REACH OF CHILDREN AND ANIMALS.**

Manufactured by  
**BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502**