

WARNING: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. In case of contact, immediately flush eyes with plenty of water; for skin, wash with soap and water. Avoid contamination of food and feed.

Avoid drift to adjoining food and storage crops.

Toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur.


Rinse spray equipment and containers. Bury liquid waste in non-crop lands located away from water supplies. Perforate empty metal container. Crush and bury glass.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Buyer's guarantee limited to label claims

Packed by

BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502



DIRECTIONS

Do not use without dilution.

See directions given below for preparing proper dilutions in amounts of water recommended to provide complete coverage with the type of equipment used.

RECOMMENDATIONS

Lawn & Ornamental Turf — Chinch Bug Control: Wet lawn thoroughly, then apply 1 pint of Aspon 2E in 30-50 gallons of water to treat an area of 1,500 sq. ft.

Do not allow children or pets on treated areas until the spray applied to the surface has been washed into the soil and the lawn or turf is dry.

Consult State Agricultural Extension Service or State Agricultural Experimental Stations for the timing of applications for your region.

**Contains 2 lbs. Aspon Per Gallon
1 Quart Treats 3,000 sq. ft.**

[4-194]

[70-82]

ACCEPTED
JUN 12 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENT-BAIT ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. _____ SUBJECT
TO REVISED CONDITIONS



<p>For the control of</p> <ul style="list-style-type: none"> • FLEAS • TICKS • LICE 		<p>STOPS ITCHING DUE TO</p> <ul style="list-style-type: none"> FLEAS TICKS LICE
--	---	--

**FLEA and TICK
SPRAY**

WARNING Keep Out of Reach of Children
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT 10 OUNCES

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Do not use on birds or near fish bowls. Spray dog only until hair is damp.

Harmful if swallowed. Avoid contamination of feed and food. Avoid breathing of mist. Wash hands after application. Keep out of reach of children.

Never puncture container or throw into fire or incinerator. Do not store above 120° F or near hot stove, radiator or other source of heat.

DIRECTIONS

HOW TO OPERATE: Remove protective valve cap. Hold bomb in upright position, 8"-10" from dog. Point small opening on side of dispensing valve in direction spray is desired. To release mist, press down on valve button.

TO KILL FLEAS, TICKS, LICE INFESTING DOGS: Follow operating procedure above. Beginning at tail, spray up to back of neck and including legs and under body, until dog's coat is slightly damp. On long-haired dogs rub hand against the lay of hair, spraying directly behind hand, so mist reaches dog's skin where insects are attacking. Avoid spraying eyes, face and scrotum. A 20 to 30 second application is sufficient to treat a 25 pound dog. Repeat weekly if necessary. For unusually infested conditions, locate ticks and spray freely, thoroughly wetting the ticks.

TO PREVENT REINFESTATION OF DOGS AND QUARTERS: Use Kill-Ko Flea Spray regularly on dog as above. To control flies, fleas, ticks in sleeping quarters and kennels spray bedding, cracks, crevices and floors, thoroughly as often as necessary.

ACTIVE INGREDIENTS:

Pyrethrins 0.06%

Technical Piperonyl Butoxide* 0.48%

Malathion (O,O-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate) 0.50%

2,3:4,5-bis (2 butylene) tetrahydro-2-furaldehyde 0.24%

Petroleum Distillates 21.17%

INERT INGREDIENTS 77.55%

TOTAL INGREDIENTS: 100.00%

*Equivalent to 0.344% (butylcarbitol) (6-propylpiperonyl) ether and 0.096% related compounds.

EPA Reg. No. 70-82

EPA EST. 100-00-1

100-00-1

MANUFACTURED FOR
RIGO COMPANY
BUCKNER, KENTUCKY 40010