

MOSQUITO LARVICIDE

Optional Marketing Statements:

For use on sewage and drainage ditches, catch basins, salt marshes, swamps and stagnant water

pools.

Kills larvae and pupa stages of mosquitoes.

MAR 10 2004

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide redistered under 4-195

ACTIVE INGREDIENT:

Mineral Oil	98%
OTHER INGREDIENTS:	
TOTAL	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side/back/other panel(s) for additional precautionary statements.

NET CONTENTS: 1 PT (16 FL OZ) (473 mL) / 1 QT (32 FL OZ) (946 mL)

	FIRST AID
Have the produ	ct container or label with you when calling a poison control center or doctor, or
going for treatr	nent. You may also contact the National Pesticide Information Center at 1-800-
858-7378 for e	mergency medical treatment information.
If Inhaled:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to-mouth, if possible.
	• Call a poison control center or doctor for further treatment advice.
If Swallowed:	• Call poison control center or doctor immediately for treatment advice.
	• Do not give any liquid to a person.
	• Do not induce vomiting unless told to do so by the poison control center or
	doctor.
	• Do not give anything by mouth to an unconscious person.
Note to Physic	ian: Contains mineral oil vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or swallowed. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, except as directed for use on this label. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[small package, consumer use]

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

<u>Disposal:</u> If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

[commercial use]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>Pesticide Storage:</u> Store and transport in an upright position. Store in original container in a cool, dry area.

<u>Pesticide Disposal:</u> Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u> (plastic containers): Triple rinse, or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

<u>Container Disposal (metal containers)</u>: Triple rinse, or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Bonide® Mosquito Larvicide can be used all season long; does not depend on life cycle timing for effectiveness. It kills by suffocation and mosquitoes do not develop resistance. The last application of the season is as effective as the first. Does not smear or deface the environment with dark oily films or residues.

Directions

Bonide[®] Mosquito Larvicide is designed for surface application to intermittently flooded areas, temporary rain pools, sloughs and log ponds. Mixture with water (milky appearance) should be avoided or minimized. Avoid solid stream, high pressure or high velocity applications. Adjust spray nozzle for partial cone pattern. Equipment used to apply other materials should be cleaned by rinsing with diesel fuel or fuel oil, then with larvicide

GROUND APPLICATION: One to five gallons per acre (3 to 15 fl. oz. per 1,000 sq. ft.) depending on water surface conditions and vegetative density. Use 1 to $2\frac{1}{2}$ gallons per acre (3 to $7\frac{1}{2}$ fl. oz. per 1,000 sq. ft.) if trees are in green tip stage and vegetative cover is light and water is essentially clean. To penetrate heavier or denser vegetative cover, or if water is substantially polluted, use $2\frac{1}{2}$ to 5 gallons per acre ($7\frac{1}{2}$ to 15 fl. oz. per 1,000 sq. ft.). An average rate of $2\frac{1}{2}$ to 3 gallons per acre) (approximately 1 quart to 5,000 sq. ft. – 50° x 100° area, $7\frac{1}{2}$ to 9 fl. oz. per 1,000 sq. ft., or 2 to 4 teaspoons per 100 sq. ft. = 10° x 10° area) of water surface covers most conditions.

AERIAL APPLICATION: Two to four gallons per acre for salt marshes and swamps. Adjust for vegetation or surface conditions. Average rate of 3 gallons per acre (36 gallons per 100 ft. swath mile) covers most conditions.

Apply to leave a thin film over surface of breeding areas. Include treatment of drainage ditches, catch basins, stagnant pools, open sewage basins to improve overall control. Since high pressures or high velocities are not needed, lighter less expensive equipment can be effectively used. Since mosquitoes can hatch in 5-7 days of warm weather, any stagnant water expected to be exposed for that period or longer should be treated.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Information Center at 1-800-858-7378.

Buyer's Guarantee Limited to Label Claims.

Manufactured by: Bonide Products, Inc. Oriskany, NY 13424