

CAUTION: Harmful if swallowed. Do not get in eyes or on skin. If spilled on skin, wash off immediately with warm water and soap. Wash hands after using. Flush eyes with clear water. Avoid any inhalation of spray mist. **Antidote:** If taken internally, induce vomiting and call a physician at once.


Keep beyond the reach of children and domestic animals. Avoid contamination of food, foodstuffs, streams or other water sources. Do not spray or allow to drift onto desirable flowers, trees, shrubs, vegetables or into lakes or streams. Coarse sprays are less likely to drift. Keep livestock off treated areas. Do not store near fertilizers, fungicides, insecticides or seeds.

Rinse empty container thoroughly with water and discard it.

Have a guarantee printed to label terms.

Packed by

BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502



BONIDE

CRABGRASS & BROADLEAF WEED KILLER W/AMA & 2,4-D

FOR LAWN, ORNAMENTAL TURF & CERTAIN NON-CROP USE

KILLS crabgrass, dallis grass, bull grass, sedge, lemon grass, thick-weed, dandelion, plantain, knotweed, purslane, spotted spurge, large leaf spurge, pennywort, beggar weed, barnyard grass, bahia grass, johnsongrass, cocklebur, sandbur, ragweed, puncture vine, pigweed, foxtail, giant and yellow foxtail, wild mustard, wild oats, woodsorrel,

ACTIVE INGREDIENTS:
 Diethylammonium Methanarsenate
 Diethylammonium Methanarsenate
 Diethylammonium Salt of 2,4-Dichlorophenoxyacetic Acid
 Diethylammonium Salt of 2,4-Dichlorophenoxyacetic Acid
 Total amount of water soluble form 4.1
 Total amount of 2,4-Dichlorophenoxyacetic acid 1.3

CAUTION: KEEP OUT OF REACH OF CHILDREN
 (See side panel cautions)
ONE QUART NET

CRABGRASS AND BROADLEAF WEED KILLER W/AMA & 2,4-D is a selective weed killer in that it is possible to remove undesirable weeds and grass from lawns, rights of way, sidewalks, driveways and parkways without damage to desirable grasses, such as Bermuda, meron blue, Kentucky blue, and so on. Use on established lawns with average day temperatures under 80° F. Do not use on St. Augustine, centipede, bahia, or other fine lawns or bent putting green.

DIRECTIONS

Before use read complete label and follow directions and directions. Be sure to water before treatment. During dry spells, water thoroughly before making applications. Allow grass to dry before application. Allow one day after application then continue keeping soil moist. This is most important during hot, dry weather to prevent desirable grasses. New turf should not be treated until after the first mowing. For best results use when temperatures are 80° F. or more. Repeat at 7 day intervals until all grass and weeds are dead. For small plants, 2 or 3 treatments for mature plants, 3 or 4 treatments may be required. Grass and weeds should be dead 15 days after last treatment.

AMOUNT TO USE	AMOUNT OF WATER TO USE	AREA COVERED
1/2 GALLON	1 GALLON	1000 SQ. FT.
1 GALLON	2 GALLONS	2000 SQ. FT.
2 GALLONS	4 GALLONS	4000 SQ. FT.
4 GALLONS	8 GALLONS	8000 SQ. FT.
8 GALLONS	16 GALLONS	16000 SQ. FT.
16 GALLONS	32 GALLONS	32000 SQ. FT.