


CAUTION: Harmful if swallowed. Do not get in eyes or on skin. If spilled on skin, wash off immediately with warm water and soap. Wash hands after using. Flush eyes with clear water. Avoid any inhalation of spray mist. **Antidote:** If taken internally, induce vomiting and call a physician at once.

Keep beyond the reach of children and domestic animals. Avoid contamination of food, foodstuffs, streams or other water sources. Do not spray or allow to drift onto desirable flowers, trees, shrubs, vegetables or into lakes or streams. Coarse sprays are less likely to drift. Keep livestock off treated areas. Do not store near fertilizers, fungicides, insecticides or seeds.

Rinse empty container thoroughly with water and discard it.

Buyer's guarantee limited to label claims

Packed by
BONIDE CHEMICAL CO., INC., UTICA, N. Y. 13502



BONIDE

CRABGRASS & BROADLEAF WEED KILLER W/AMA & 2,4-D

FOR LAWN, ORNAMENTAL TURF & CERTAIN NON-CROP USE

KILLS crabgrass, dallis grass, bull grass, sedge, lemon grass, chick-weed, dandelion, plantain, knotweed, purslane, spotted spurge, large leaf spurge, pennywort, beggar weed, barnyard grass, bahia grass, johnsongrass, cocklebur, sandbur, ragweed, puncture vine, pigweed, tules, giant and yellow foxtail, wild mustard, wild oats, woodsorrel.

EPA Reg. No. 4 202

ACTIVE INGREDIENTS:
Dodecylammonium Methanesulfonate 8.0%
Octylammonium Methanesulfonate 8.0%
Octyl Ammonium Salt of 2,4-Dichlorophenoxyacetic acid 8.6%
INERT INGREDIENTS: 75.14%
Total arsenic all in water soluble form 4.1%
Equivalent to 2,4-Dichlorophenoxyacetic acid 5.14%

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See side panel cautions)
ONE QUART NET

CRABGRASS AND BROADLEAF WEED KILLER W/AMA & 2,4-D is a selective weed killer in that it is possible to remove undesirable weeds and grass from lawns, rights of way, sidewalks, driveways and parkways without damage to desirable grasses, such as Bermuda, merion blue, Kentucky blue, red top, fescue and zoysia and bent lawns, with average day temperatures under 80° F. Do not use on St. Augustine, carpet, centipede, bahia, dichondra lawns or bent putting greens.

DIRECTIONS

Before use read complete label and use in accord with cautions and directions. Be sure soil is moist before treatment. During dry spells, water thoroughly before making applications. Allow grass to dry before application. Allow one day after application than continue keeping soil moist. This is most important during hot, dry weather to protect desirable grasses. New turf should not be treated until after the third mowing. For best results use when temperature is 80° F. or more. Repeat at 7 day intervals until crabgrass and weeds are dead, for small plants 1 or 2 treatments, for mature plants 3 or 4 treatments may be required. Crabgrass and weeds should be dead five days after last treatment.

AMOUNT TO USE	AMOUNT OF WATER TO USE	AREA COVERED
1 PINT	5 GALLONS	2,000 SQ. FT.
1 QUART	10 GALLONS	4,000 SQ. FT.
1 GALLON	40 GALLONS	16,000 SQ. FT.
2½ GALLONS	100 GALLONS	ONE ACRE