

BONIDE®

SLUG & SNAIL KILLER
w/Zectran®

CLEAN, EASY TO USE BAIT. ALSO KILLS PILLBUGS,
AND SOWBUGS. FOR USE IN FLOWER GARDENS, OTHER
ORNAMENTAL PLANTINGS AND ON GROUND COVERS,
INCLUDING GRASS AND DICHONDRA LAWNS.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-205

ACTIVE INGREDIENT:


Mexacarbate (4-(dimethylamino)-3,5-xyl	
methylcarbamate)	2.0%
INERT INGREDIENTS	98.0%

*Zectran® trademark of Union Carbide Corporation

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Side Panel for Additional
Precautionary Statements.

NET WT

LBS. NET WEIGHT



BONIDE SLUG & SNAIL KILLER w/Zectran, EPA Reg. No. 4-205PRECAUTIONARY STATEMENTSHAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by administration of syrup of ipecac or under medical supervision. Call a physician.

Note to Physician: Active ingredient has cholinergic effects. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. May be harmful to birds feeding in treated areas. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

BONIDE SLUG & SNAIL KILLER is a bait. Mollusks feed and are killed. Can be applied any time. Effective both during cool and warm seasons of the year. No unsightly, poisonous mounds of bait are necessary. This product is for use in flower gardens, other ornamental plantings and on ground covers, including grass and Dichondra lawns.

Apply BONIDE SLUG & SNAIL KILLER bait at the rate of 1 pound per 1,200 square feet of treatment area. Water the infested area thoroughly before application, then spread the meal evenly over the area. Special care should be taken to treat bedding plants or other low growing plants where pests feed and hide. Pests stop feeding soon after treatment, but kill may be delayed 3 to 5 days. Re-treat every 3 weeks as needed.

Seller's warranty limited strictly to label claims.

MFG. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495