

E O N I D E

DURSBAN® 2E
INSECTICIDE
(AREA CONTROL)

AREA CONTROL OF MOSQUITOES AND TICKS, COCKROACHES,
BROWN DOG TICKS, FLEAS, SILVERFISH, CRICKETS, FIREBRATS,
CARPET BEETLES, ANTS, SPIDERS, AND
WOOD-INFESTING BEETLES

EPA Est. 4-NY-1

EPA Reg. No. 212

ACTIVE INGREDIENTS:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-
pyridyl) phosphorothioate] 24.5%
Xylene..... 68.9%

INERT INGREDIENTS: 6.6%

Contains 2 pounds of chlorpyrifos per gallon

*DURSBAN® - Trademark of the Dow Chemical Co.,
U.S. Patent No. 3,244,586

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL
OPERATORS, PUBLIC HEALTH ORGANIZATIONS, MOSQUITO ABATEMENT
DISTRICTS AND OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT
CONTROL PROGRAMS

KEEP OUT OF REACH OF CHILDREN

WARNING

(See side panel for additional precautionary statements)

NET CONTENTS

ACCEPTED
NOV 01 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended by the pesticide
registration act
EPA Reg. No. 4-212

BONIDE DURSBAN 2E INSECTICIDE (Area Control), EPA 4-212

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. Combustible liquid. May be absorbed through skin. May be injurious to eyes and skin. Do not get in eyes or on skin. Avoid breathing spray mist or vapors.

Note to Physicians: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. atropine is antidotal.

WARNING (Pests Indopra): For spot application only. Do not use in poultry houses, other animal buildings or in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician immediately.

If on Skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

If in Eyes: Flush eyes with plenty of water. Call a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

DURSBAN 2E Insecticide is toxic to shrimp and crabs. Do not apply to water containing valuable crustaceans. Consult your State Fish and Game Department before using this product for mosquito control.

This product is highly toxic to bees exposed to direct treatment or residues on plants. For this information may be obtained from your Cooperative Extension Station service.

REMARKS ON SAFE HANDLING

Do not use, pour, spill or store near heat or open flame. Handle concentrate in a ventilated area.

BEST DOCUMENT AVAILABLE

BONIDE DUREBAN 2E INSECTICIDE (Area Control), EPA 4-212

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS

Do not reuse empty container. Drop or put in trash collection.

PESTS INDOORS: Use DUREBAN 2E insecticide as a spot treatment to control cockroaches, ants, carpet beetles, crickets, flycatchers, silverfish, spiders, brown dog ticks, and wood-eating beetles in and around residential, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores and warehouses. Dilute DUREBAN 2E with water or with a suitable kerosene oil to make a 0.25% or 0.50% chlorpyrifos spray as shown in the following **SPRAY DILUTION CHART**. Apply according to directions given for pests listed. Repeat the treatment as needed.

SPRAY DILUTION CHART		
Gallons of Spray Mixture Desired	Fluid Ounces ¹ of DUREBAN 2E to Use	
	Water-base spray	0.5% spray
1	1.5	3.0
3	4.5	9.0
5	7.5	15.0
10	15.0	30.0
Oil base spray ² *		
1	1.5	3.0
3	4.5	9.0
5	7.5	15.0
10	15.0	30.0

¹Notes: 1 fluid ounce = 2 tablespoonfuls = 6 teaspoonfuls
²**Calculated on basis of deodorized kerosene

COCKROACHES (including strains resistant to certain other insecticides), **ANTS** (including FIRE ANTS), **SPIDERS**, **SILVERFISH**, **SPIDERS:** Use a 0.25% spray to control light infestations and a 0.50% spray to quickly reduce heavy infestations. Apply as a general spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and along cracks and crevices in walls; along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants: Apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat. A period of 4 to 7 days is normally required for maximum effect on cockroaches.

BONIDE DURSBAN 2E INSECTICIDE (Area Control), EPA 4-212

FIRE ANTS: Mix at the rate of 1 fl. oz. per 2 gal. water, and apply 1 gal. of solution per mound. Thoroughly wet the mound and surrounding area to a 4 ft. diameter. For best results, apply in cool weather (65-80°F), or in early morning or late evening hours. Treat new mounds as they appear. Application should be as a gentle rain from a sprinkler can or using low pressure spray since pressurized sprays may disturb the ants causing migration and reducing product effectiveness.

Recommendations for use of this product are based upon tests believed to be reliable. The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Packed by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

BEST DOCUMENT AVAILABLE