

## PRECAUTIONARY STATEMENTS

### HAZARD TO HUMANS AND DOMESTIC ANIMALS — CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. In case of contact with skin, wash with soap and water. Avoid breathing spray mist. Avoid contamination of feed and foodstuffs. Do not use on humans or household pets or near uncovered fish bowls or pools. Keep children and pets off treated areas until material has been thoroughly soaked into soil and area has dried.

### ENVIRONMENTAL HAZARD

This product is toxic to fish and wildlife. Birds feeding on treated area may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. This product is toxic to bees and should not be applied when bees are actively visiting the area.

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Dispose of empty container in safe place. Do not reuse.

Buyer's Guarantee Limited to Label Claims and Refund of Purchase Price

MFG. BY BONIDE CHEMICAL CO., INC., YORKVILLE, N.Y. 13495

# BONIDE

## 4 LB. CHLORDANE EMULSIFIABLE CONCENTRATE

### FOR CONTROL OF IMPORTED FIRE ANTS, TERMITES, AND JAPANESE BEETLES

ACTIVE INGREDIENT  
Technical Chlordane  
INERT INGREDIENTS  
Equivalent to 27.2% Octachloro 4,7-methanotetrahydroindane and 18.2% related compound. Contains 4 lbs. Chlordane per gallon.

E.P.A. Est. No. 4-NY-1 E.P.A. Reg. No. 4.7.1

45.4  
54.6

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See Side Panel for Additional Precautionary Statements.

1 GAL. AV. NET WEIGHT  
1 GAL. AV. NET WEIGHT

## DIRECTIONS

**SUBTERRANEAN TERMITES** — Buildings Having Basements or Crawl Spaces: Use 5 1/2 oz./10 2/3 tbsp. per gallon of water for a 2% water emulsion. Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet for each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

**JAPANESE BEETLE LARVAE** (federal/state Quarantine Programs — For use on sod and ornamental turf only.) 1 1/2 - 2 1/2 gal. BONIDE 4 LB. CHLORDANE per acre (18 - 36 oz. per 5,000 square feet). Use higher rate of 4 Lb. Chlordane on muck or highly organic soil. Use sufficient water for full coverage. Apply just before a rain or use irrigation or sprinklers to remove material from turf. Keep children and pets off treated turf until material has been washed into the soil by watering or rain, and grass is dry.

**IMPORTED FIRE ANTS** — Locate nest and saturate the nest area with water mixture, 1 oz. (2 tbsp.) Chlordane per gallon water.

Do not graze livestock on treated areas within one year of treatment.

Do not contaminate food and feed crops.

Treated areas should be examined three weeks after application and surviving colonies retreated.