

White thru Red

INSECTICIDE

White Outline with rounded corners

A I R. C. H. O. U. S. A.
 Emulsi-fiable Concentrate
 (TERMITES - HOME OWNER)

White thru Red

FOR TERMITES CONTROL

EPA Est. No. 4-NY-1

EPA Reg. No. 4-218

ACTIVE INGREDIENT:

Technical Chlordane*..... 45.4%

INERT INGREDIENTS:

..... 54.6%

*Equivalent to 27.2% Octachloro-4,7-methanoctrahydroindane and 18.2% related compounds.
Contains 4 lbs. Chlordane per gallon.

BEST DOCUMENT AVAILABLE

ACCEPTED
with COMMENTS
by EPA Letter Dated:

OCT 14 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.

4-218

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Side Panel for Additional Precautionary
Statements.

1 GAL. NET 1/2 GAL. NET

1
2
3
4
5

BEST DOCUMENT AVAILABLE

BONIDE 4 lb. Chlorobenzene Emulsifiable Concentrate
(Termiticide - Home Owner), EPA Reg. No. 4-218

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. In case of contact with skin, wash with soap and water. Avoid breathing spray mist. Avoid breathing spray mist. Avoid contamination of feed and foodstuffs. Do not use on humans or household pets or near uncovered fish bowls or pools. Keep children and pets off treated areas until material has been thoroughly soaked into soil and area has dried.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

BEST DOCUMENT AVAILABLE

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS


Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.



BEST DOCUMENT AVAILABLE

BONIDE 4 LB. CHLORDANE EC. (Termites - Home Owner), EPA 4-218

**SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE
TERMITE CONTROL IN EXISTING STRUCTURES
Buildings with Basements or Crawl-Spaces**

Use 5 1/3 oz./10 2/3 tbsp. per gallon of water for a 2% water emulsion.

First remove all water which has accumulated in the crawl space or basement. Then apply the emulsion to the soil in the crawl space or basement. Apply the emulsion to the soil in the crawl space or basement at a rate of 4 gallons per 100 sq. ft. of area. Apply the emulsion to the soil in the crawl space or basement at a rate of 4 gallons per 100 sq. ft. of area. Apply the emulsion to the soil in the crawl space or basement at a rate of 4 gallons per 100 sq. ft. of area. Apply the emulsion to the soil in the crawl space or basement at a rate of 4 gallons per 100 sq. ft. of area.

For raised porches, terraces, and outdoor walks, apply the emulsion to the soil at intervals, 6 inches from the foundation, and pour the emulsion into holes (or solution into soil holes) in the foundation. Radiating heat pipes should be treated as described in the directions.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or crawl spaces existing. For more details that you contact the Agricultural Experiment Station nearest you or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet water to reach into the termite chemical solution. Do not allow the emulsion to mix with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the use of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), State or local specifications for safe distances of treatment areas from wells. Wells in the vicinity of wells, cisterns or ponds should not be treated. Wells are saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a lower level than the surrounding yard or property area. It is recommended that a test be made before applying the emulsion. Wells should be treated in the same way as described in the directions. Wells should be treated in the same way as described in the directions. Wells should be treated in the same way as described in the directions. Wells should be treated in the same way as described in the directions.

Buyer's Guarantee Limited to Label Claims and Refund of Purchase Price.

MFG. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

465779589
17 3

U JRP

OCT 14 1982

Bonide Chemical Company, Inc.
2 Wurz Avenue
Yorkville, NY 13495

Attention: Annabel Olson

Gentlemen:

Subject: Termiticide L.I.P. - Revision
4 lb. Chlordane Emulsifiable Concentrate
EPA Registration No. 4-218
Your Application of September 17, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:LaRocca:DCR-39991:WANG-0589C:ink:Raven:479-2013:10/7/82

BEST DOCUMENT AVAILABLE