

•Peaches	Peach Tree Borer	4½ tbsps./ 1 gal. water 1½ gals./ 100 gals. water	Spray lower trunk and around base of tree, soaking bark and wetting trunk from crotch to ground. Do not apply to fruit or foliage.
•Dogwood, •Rhododendron, •Lilac	Dogwood Borer, Rhododendron Borer, Lilac Borer	4½ tbsps./ 1 gal. water	Make 2 to 3 applications 7 to 10 days apart in May and early June.

WARNING: May be absorbed through skin. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Avoid contamination of feed, and foodstuffs. Do not use on household pets and humans. Store out of reach of children. Food utensils such as teaspoons, tablespoons should not be used for food purposes after use with pesticides.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING — FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

Buyer's Guarantee Limited to Label Claims

973 & Manufactured by Bonide Chemical Co., Inc., Utica, N. Y. 13502

ACCEPTED
 AUG 20 1973
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER
 ED UNDER NO. 4-220


ACTIVE INGREDIENT:
 5% Lindane (Benzene Hexachloride from Lindane) . . . 5.00%
 OTHER INGREDIENTS: 95.00%

WARNING: KEEP OUT OF REACH OF CHILDREN
 (See side panel warnings)
1 PINT NET CONTENTS

**KILLS BIRCH LEAF MINER, FLAT AND ROUND HEADED
 BORERS, PEACH TREE BORERS, PINE BARK BEETLES,
 STRAWBERRY ROOT WEEVIL, APHIDS AND CERTAIN
 OTHER BORERS**

EPA Reg. No. 4-220

BORER-MINER KILLER-5



BORER-MINER KILLER - 5 is a liquid formulation containing 5% Lindane, with spreader and emulsifier. It dissolves instantly. Put required amount in pail and add water (self-mixing). Will not plug nozzle. Read entire label. Use strictly in accordance with label cautions, warnings and directions. Use a paint brush, roller, pressure oil can, apply to areas to be treated, making repeat treatment as necessary.

DIRECTIONS FOR USE

TREES OR SHRUBS	BORER AND OTHER INSECTS	DOSAGE	TIME TO APPLY
•Elm (English and Scotch) Birch, •Locust	Leaf Miners	4½ tps./ 1 gal. water	Apply when small miners appear in early and mid-May. Apply when small miners appear in early July.
•Pines	Pine Bark Beetles	2 qts./ 1 gal. water	Spray trunks thoroughly — wet trunks to run-off.
•Pine, Spruce	White Pine Weevil	4½ tbsps./ 1 gal. water	Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
•Taxus, Hemlock	Strawberry root weevil, Taxus weevil	4½ tbsps./ 1 gal. water	Apply in May or early June to the trunks and around base of trees, soaking the bark and wetting the soil surface.
•Apples, •Cherries, •Peaches	Fruit tree Bark Beetles Flat-Headed Borers Round-Headed Borers	4½ tbsps./ 1 gal. water 1½ gal./100 gals.	Apply to bark of tree trunk and large limbs in spring. Apply to trunk, crotch to ground. Soak bark to run-off. Do not apply to fruit or foliage.
•Maple, Aspen, •Poplar, •Ash, •Willows, •Elm, •Locust	Aphids, Bark Beetles, Wood Boring Beetles	1½ gal./50 gal. 9 tbs. or 4½ oz./gal.	Apply in spring when buds begin to break. Repeat in 10-14 days. Elms — Apply to foliage when Aphids are present during summer, repeat in fall — soak trunks to run-off.

ACCEPTED WITH COMMENTS

*Peaches	Peach Tree Borer	4 1/2 tbsps./ 1 gal. water 1 1/2 gals./ 100 gals. water	Spray lower trunk and around base of tree, soaking bark and wetting trunk from crotch to ground. Do not apply to fruit or foliage.
*Dogwood, *Rhododendron, *Lilac	Dogwood Borer, Rhododendron Borer, Lilac Borer	4 1/2 tbsps./ 1 gal. water	Make 2 to 3 applications 7 to 10 days apart in May and early June.

WARNING: May be absorbed through skin. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Avoid contamination of feed, and foodstuffs. Do not use on household pets and humans. Store out of reach of children. Food utensils such as teaspoons, tablespoons should not be used for food purposes after use with pesticides.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

ACCEPTED

WARNING — FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

Buyer's Guarantee Limited to Label Claims

1973 & Manufactured by Eonide Chemical Co., Inc., Utica, N. Y. 13502

UNDER THE FEDERAL
FUNGICIDE AND RO
FOR ECONOMIC PRO
ED UNDER NO. 2

AUG 20

BORER-MINER KILLER - 5 is a liquid formulation containing 5% Lindane, with spreader and emulsifier. It dissolves instantly. Put required amount in pan and add water (self-mixing). Will not plug nozzle. Read entire label. Use strictly in accordance with label cautions, warnings and directions. Use a paint brush, roller, pressure oil can, apply to areas to be treated, making repeat treatment as necessary.

DIRECTIONS FOR USE

TREES OR SHRUBS	BORER AND OTHER INSECTS	DOSAGE	TIME TO APPLY
*Elm (English and Scotch) Birch,*Locust	Leaf Miners	4 1/2 tps./ 1 gal. water	Apply when small miners appear in early and mid-May. Apply when small miners appear in early July.
*Pines	Pine Bark Beetles	2 qts./ 1 gal. water	Spray trunks thoroughly — wet trunks to run-off.
*Pine, Spruce	White Pine Weevil	4 1/2 tbsps./ 1 gal. water	Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
*Taxus, Hemlock	Strawberry root weevil, Taxus weevil	4 1/2 tbsps./ 1 gal. water	Apply in May or early June to the trunks and around base of trees, soaking the bark and wetting the soil surface.
*Apples, Cherries, Peaches	Fruit tree Bark Beetles Flat-Headed Borers Round-Headed Borers	4 1/2 tbsps./ 1 gal. water 1 1/2 gal./100 gals.	Apply to bark of tree trunk and large limbs in spring. Apply to trunk, crotch to ground. Soak bark to run-off. Do not apply to fruit or foliage.
*Maple, Aspen, *Poplar, Ash, Willows, Elm, Locust	Aphids, Bark Beetles, Wood Boring Beetles	1 1/2 gal./50 gal. 9 tbs. or 4 1/2 oz./gal.	Apply in spring when buds begin to break. Repeat in 10-14 days. Elms — Apply to foliage when Aphids are present during summer, repeat in fall — soak trunks to run-off.

8/19/73

RONIDE

ACCEPTED

00121073

GRUB

CHINCH BUG & SOLE ALEMERM

KILLER

FOR LAWNS

W/DIAZINON (R)

CONTROLS CHINCH BUGS, BILLBULS, ANTS, CHIGGERS, MITES, EARWIGS, EUROPEAN CHAFER & OTHERS LISTED ON BACK

FOR PROFESSIONAL USE ONLY - NOT FOR RESALE

EPA Reg. No. 4-222

ACTIVE INGREDIENT:

*O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) Phosphorothioate.....10.0%

INERT INGREDIENTS:.....90.0%

*Diazinon (R) is registered trademark of Ciba-Geigy Corp.

RONIDE GRUB, CHINCH BUG & SOLE ALEMERM KILLER DIAZINON (R) is a granular base insecticide specifically designed for lawn and turf application by drop type or cyclone type spreaders. It is applied when insects are present and application should be repeated when necessary.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contact with skin and eyes. May be absorbed through the skin. In case of contact and after use, wash thoroughly. Do not contaminate feed, feedstuffs or drinking dishes of pets. Keep children and pets off treated areas until washed into soil and grass has dried.

This product is toxic to fish and wildlife. Avoid feeding on treated areas may be killed. Keep out of any body of water. Apply only as specified on the label.

Do not reuse empty container. Destroy it by burning with water or burning. Stay away from smoke and fumes.