



BONIDE

SLUG & SNAIL KILLER

**CLEAN, EASY TO USE MEAL BAIT FOR CONTROL
OF SLUGS AND SNAILS ON LAWN & TURF
AREAS, FLOWER GARDENS, AND
IN GREENHOUSES**

Contains MESUROL

ONE POUND WILL TREAT 1,000 SQUARE FEET

ACTIVE INGREDIENT
MESUROL (Methiocarb) 100% 100%
OTHER INGREDIENTS
MESUROL (Methiocarb) 100% 100%
NET WEIGHT 1 LB. 15.43 OZ.

CAUTION: KEEP OUT OF REACH OF CHILDREN

(See side panel for other cautions.)

1 LB. NET WEIGHT

BONIDE SLUG AND SNAIL KILLER is a bait. Molluscs feed and are killed. Can be applied any time, effective both during cool and warm seasons of the year. No unsightly, poisonous mounds of bait necessary and particle size is small to avoid attraction of pets and children.

DIRECTIONS

Please read all directions, restrictions, cautions and warranty before use. The following directions for use reflect the opinion of experts based on tests of effectiveness, toxicity to plants and laboratory animals, and of residues on or in food and feed under normal conditions of use. Because of the wide range of conditions under which this product may be used, both normal and abnormal, beyond the control of the seller, seller warrants only that the product conforms to label descriptions and buyer accepts all risks of use and storage.

APPLICATION: Scatter bait so that it is hardly visible on the ground. Bait should be applied to soil around ornamental plants, but not directly to plant foliage. Special attention should be given to treating areas around flower beds, under greenhouse benches, and around building foundations. For best results, lightly water the area to be treated before applying the bait. Do not place bait in piles; scatter 1 pound of bait, uniformly over 1,000 square feet of area to be treated. This is a light application equivalent to 1 ounce on an area 2 1/2 feet wide by 25 feet long. Repeat applications as necessary to keep areas free of slug and snail pests.

CAUTION: May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before re-use. Keep out of reach of children and irresponsible individuals. If poisoning occurs, obtain prompt medical aid.
ANTIDOTE: Atropine Sulfate

Do not use on plants grown for food. Do not contaminate food or feed. Keep away from domestic pets and animals.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DO NOT RE-USE THIS CONTAINER— Completely use the contents or bury unused product at least 18 inches deep in an isolated location away from water supplies. Burn the empty container completely, exercising extreme caution and staying away from the smoke. Do not use container in any connection with feed, food or drinking water.

1975 & Mfg. by BONIDE CHEMICAL CO., INC., Yorkville, N.Y. 13495