

**ACCEPTED**  
 SEP 4 1975  
 UNDER THE FEDERAL FUNGICIDE ACT  
 FUNGICIDE AND ADJUVANT ACT  
 FOR ECONOMIC PEST CONTROL  
 EP UNDER NO. 276  
 REGISTERED COMPANY

# BONIDE

## LAWN and TURF FUNGICIDE

**CONTAINS DYRENE 50% WETTABLE POWDER**

**FOR CONTROL OF TURF DISEASES SUCH AS BROWN PATCH,  
 COPPER SPOT, DOLLAR SPOT, HELMINTHOSPORIUM LEAF  
 SPOT, MELTING OUT, RUST, SNOW MOLD (TYPHULA)**

EPA Est. 4-NY-1    EPA Reg. No. 4-246  
 ACTIVE INGREDIENT:  
 4,6-Dichloro-N-(2-chlorophenyl)-1,3,5-triazin-2-amine . . . . . 50%  
 INERT INGREDIENTS: . . . . . 50%  
 DYRENE is a registered T.M. of the Mobay Chemical Corporation

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
 See additional precautions on back panel

STORE IN A COOL, DRY PLACE  
 NET WEIGHT 1 LB.

### DIRECTIONS FOR USE

BONIDE LAWN & TURF FUNGICIDE effectively protects grasses from various destructive diseases. Complete and thorough coverage of area is necessary for satisfactory control. For a preventive program begin applications before diseases appear and repeat treatments as needed, usually at intervals of 10 to 14 days, except during extended periods of cool, moist conditions, when applications every 7 days may be advisable. The spray program should be continued through the spring and summer months.

Schedule applications in accordance with local conditions. Consult your State Agricultural Experiment Station or Extension Service for specific use information for state regulations which may contain additional restrictions or requirements.

### RECOMMENDED APPLICATIONS

Crop	Diseases	Pounds	Remarks
Lawns	Brown Patch, Copper Spot, Dollar Spot, Helminthosporium Leaf Spot, Melting-out, Rust	5	Apply specified dosage in 5 gals. of water per 1,000 sq. ft. Repeat at 1 to 2 week intervals throughout the spring and summer months.
	Snow Mold (Typhula)	5	Apply after first killing frost in Fall. A second application should be made when the lawn is free of snow in mid-winter, and this should be followed by a third application after the final melting of snow in late winter or early spring.

**CAUTION:** Harmful if swallowed or inhaled. Avoid contact with eyes, skin, and clothing. Avoid breathing of dust or spray mist. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before reuse.

**NOTE:** May cause a temporary allergic skin reaction similar to that of poison ivy in a few susceptible persons. This condition responds to normal treatments for allergic dermatitis. There is no evidence of after effects or permanent injury. If sensitivity occurs, protective clothing should be worn during periods of exposure, such as, during application or when contacting treated foliage.

Do not contaminate feed or food. Do not graze treated areas. Do not feed clippings to livestock.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

Rinse equipment and dispose of waste by burying in non-crop lands away from water supplies. Dispose of container by burying with wastes or burning (keep out of smoke). Never reuse container.

Seller disclaims any liability beyond the claims of this label.

Packed and Distributed by  
**BONIDE CHEMICAL CO., INC., Yorkville, N.Y. 13495**