

CAUTION: May cause skin irritation. Avoid contact with skin. In case of contact and after use, wash with plenty of water.

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not contaminate water used for irrigation or domestic purposes.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

When empty, destroy and dispose of can in a safe place.

Buyer's guarantee limited to label claims

© 1975 & Mfg. by **BONIDE CHEMICAL CO., INC.**, Yorkville, N.Y. 13495

BONIDE GRASS-N-WEED KILLER

JET SPRAY

ACCEPTED
Nov. 19, 1975
UNDEBATED AND UNDISPUTED
FUNGICIDE AND HERBICIDE FOR
GRASS-N-WEED KILLER

KILLS POISON IVY, POISON OAK, POISON SUMAC,
UNDESIRABLE TREE SPROUTS, BRAMBLES, WEEDS
AND GRASSES IN DRIVEWAYS & WALKS, PATHS,
PATIOS, WASTE AND STORAGE AREAS

CONTAINS DUPONT "AMMATE"*
WEED AND BRUSH KILLER
READY TO USE SPRAY CAN

ACTIVE INGREDIENT
Ammate (Ammonium Sulfamate)
1.0%
INERT INGREDIENTS
99.0%
*Registered Trademark of E. I. du Pont de Nemours & Co., Inc., Delaware, U.S.A.

WARNING: KEEP OUT OF REACH OF CHILDREN
See back panel for other precautions.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130° F. may cause bursting. Never throw container into fire.

NET CONTENTS 1 LB. 8 OZ.

DIRECTIONS

Choose a calm, preferably hot and humid, period to avoid wind drift damage to nearby growth, and when rain is not expected for 8-12 hours after application. Rain or watering within 6 hours after application will interfere with results necessitating additional application. Shake can before, and occasionally during application. Aim arrow on button at weeds to be killed and away from you, lawns and desirable plants. If accidentally applied to valuable plants, prompt dilution, e.g. washing off with hose or sprinkle can will reduce and possibly prevent damage. Apply as a drenching spray, wetting the foliage thoroughly. Some species of woody and perennial weeds may need retreatment if present in the area treated.