



DIPEL 150 DUST

(*Bacillus thuringiensis*)

FOR VEGETABLES

Optional Marketing Statements:

Ready-to-Use

A Biological Insecticide Controls

Cabbage Looper, Imported Cabbageworm, Grape Leaf Folder and Hornworm on Crops (Sites)

Listed on Side Panel.

Easy to Use Duster Method.

Can be used up to day of harvest.

ACTIVE INGREDIENT:

Bacillus thuringiensis, subspecies <i>kurstaki</i> , strain ABTS-351,	
fermentation solids and solubles	0.47%
(7,520 Cabbage Looper Units per mg)	

OTHER INGREDIENTS:..... 99.53%

TOTAL:..... 100.00%

*The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side/back/other panel(s) for additional Precautionary Statements and First Aid

NET WEIGHT: xx LB (xx g)

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

Environmental Hazards - Keep out of lakes, streams or ponds. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This product must not be applied aerially within 1/4 mile of any habitats of endangered species or threatened lepidoptera (i.e., moths or butterflies). No manual application can be made within 300 feet of any threatened or endangered lepidoptera.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For residential use in vegetable gardens and on fruits, shade trees and ornamentals.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

Disposal: *If empty* - Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* - Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Dipel 150 Dust is a biological insecticide intended for use against chewing larvae (caterpillars) of certain lepidoptera species. Apply when pests are first noticed and repeat as necessary. Thorough plant coverage is necessary for control.

CROP (SITE)	INSECT	APPLICATION RATE
Broccoli, Cabbage, Cauliflower, Collards, Celery, Melons, Potatoes, Spinach and Cucumbers	Diamondback Moth Hornworms Cabbage Looper Melonworms Webworm Green Cloverworm	4 to 8 oz per 435 sq. ft.
Broccoli, Cabbage, Cauliflower, Collards, and Turnip Greens	Loopers Imported Cabbageworm Hornworms	2½ to 4 oz per 435 sq. ft.
Grapes, Small fruits, Cane and Bush Berries	Loopers Omnivorous Leaf Rollers Grape Leaf Folder Grape Leaf Skeletonizer	4 to 8 oz per 435 sq. ft.
Tomatoes, Peppers, Eggplant	Loopers Hornworms Tomato Fruitworm* Variegated Cutworm Salt Marsh Caterpillars Armyworms**	2 to 4 oz per 435 sq. ft.
Lawns	Sod Webworm	Apply 4 to 8 oz per 100 sq. ft.
Flowers and Ornamentals	Loopers Tobacco Budworm Omnivorous Looper Omnivorous Leaf Roller Diamondback Moth Armyworms** Ello Moth (Hornworm) Io Moth Oleander Moth	Apply 2 to 4 oz per 435 sq. ft.

*Apply weekly in a preventative program.

**Dipel Dust may be used to suppress small worms (1st & 2nd instar) when populations are light and full ground coverage can be attained.

Buyer's Guarantee Limited to Label Claims

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents) call National Pesticide Information Center at 1-800-858-7378.

Manufactured by:

Bonide Products, Inc.

Oriskany, NY 13424