Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4279

MAY 12 1981

DIRECTIONS FOR USE

General: For use in and around buildings, dwelling areas and similar structures. Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet to avoid excessive run-off. Apply to all insect breeding areas and harborages. Not to be used as a mosquito larvicide. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding as needed.

COCKROACHES - Thoroughly treat the infested areas. Apply by backwand, cracks and crevices; around window and door frames, under refrigerator motors. Concentrate treatments around and behind and beneath cabinets, refrigerators, sinks and stoves, in and around wall voids, closets, sweeps, floor drains.

ANTS - Apply to trails and nesting areas. Treat exterior entrances such as window and door frames, spray tells and runways outdoors.

CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGES) - Thoroughly treat floors and walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

SILVERFISH, FIREBRATS AND PAPERLICE - Apply to localized areas infested by these insects.

BROWN DOG TICKS - Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS AND SPIDERS - Thoroughly spray the interior and exterior perimeter of the infested premises. For CLOVER MITES, give special attention to window frames.

FLEAS, FLIES, GNATS, PUNKIES AND SANDFLIES - (outdoors only) - Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

NON-FOOD AREAS - Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after cleaning or bathing). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, toilets, panels and similar areas where insects hide or through which they may enter.

INSECT CONTROL IN RESEARCH FACILITIES: The use of BONIDE RESIDUAL SPRAY in and around research animal quarters for insect control, will not induce changes in liver microsomal enzyme activity in these animals.

Buyer's Guarantee Limited Strictly to Label Claims and Refund of Purchase Price.

MFG. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

BONIDE

RESIDUAL SPRAY

Contains Bayg...

BONIDE RESIDUAL SPRAY is a highly effective ready-to-use formulation for control of the insects listed on back panel, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives residual control and rapid kill of insects specified on back panel.

EPA REG. NO. 4279 EPA EST. NO. 4-NY-1

ACTIVE INGREDIENTS:	
2-(1-Methylethoxy)phenol methylcarbamate*	1.00%
INERT INGREDIENTS	99.00%
TOTAL	100.00%

BAYGON® is the Registered Trademark of the Property Co. of Farbenfabriken Bayer GmbH, Leverkusen.

U.S. Patent No. 3,111,539
Canadian Patent No. 725,204

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Other Cautionary Statements on the Back Panel

NET CONTENTS: 16 OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Should poisoning occur, get prompt medical aid.

If swallowed do not induce vomiting. Call a physician immediately.

To physician: Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

CAUTION: combustible mixture. Do not use or store near heat or open flame. Do not smoke while spraying.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

RESTRICTIONS: Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near food or food products. Avoid contamination of food, food processing equipment, and food handling surfaces. Do not apply to animals. Remove pets and cover fish tanks before spraying. Do not spray plants. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Paperlice, Punkies, Sandflies, Scorpions, Silverfish, Sowbugs and Spiders. Exposed stages of Cadelles, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, and Saw-Toothed Grain Beetles

52