

BONIDE

AUTO-FOG

**KILLS HOUSEFLIES, MOSQUITOES, WASPS,
FLEAS, TICKS, SPIDERS, CRICKETS, AND OTHER
INSECT PESTS LISTED ON THE LABEL IN
ROCKS, APARTMENTS, HOMES, ATTICS,
HOUSEHOLD STORAGE AREAS, BASEMENTS,
CASINO, CAMPERS, BOATS, GARAGES
AND PET SLEEPING AREAS.
AIDS IN CONTROL OF COCKROACHES**

EPA REG. NO. 4, 283 EPA EST. NO. 36334-OH-2

ACTIVE INGREDIENTS

Tetramethrin (1-Cyano-1,2-dichloroethyl
methyl 2,7-dimethyl 3-(2-methylpropenyl)
cyclopropanecarboxylate

* 1 Phenoxyphenyl d-cis and trans** 2,2-dimethyl
3-(2-methylpropenyl) cyclopropanecarboxylate

* Other isomers

NET INGREDIENTS:

* d-cis trans phenothrin

** cis trans isomer ratio: max 25% + or - cis

min 75% + or - trans

100.0000%

38.1%

.017%

99.4000%

100.0000%

200%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional

Precautionary Statements

One Unit Treats Up to 6,000 Cubic Feet

NET WEIGHT 7.5 OUNCES

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. In case of contact with skin wash promptly with soap and water. For eyes flush with plenty of water. Get medical attention if irritation develops or persists. Avoid contact with food or feed.
Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 F may cause bursting.

DIRECTIONS FOR USE -- GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

This product will kill Houseflies, Mosquitoes, Black Carpet Beetles, Saw toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Flies, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.
Aids in control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off gas and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area (For fleas use one unit for each 1,500 cubic feet of unobstructed area). Do not remain in the area during treatment and ventilate thoroughly before re entry.
TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Operate all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

FLEAS AND TICKS: Remove and destroy old pet bedding. Put fresh bedding in pet's quarters after spraying. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated areas.

Warranty Limited to Label Claims and Refund of Purchase Price

MFG. BY BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495