

4-285

11/08/2001

1/4



MOLETOX II®

[Additional Brand Names: Bonide Moletox II Ready to Use; Gopher Tox]

Optional Marketing Statements

POISON BAIT


MOLE & GOPHER KILLER

Ready to Use

Poison bait for use against Moles and Pocket Gophers in Lawns and other non-crop areas.
Also helps to protect bulbs at Fall Planting.

ACTIVE INGREDIENT:

Zinc Phosphide	2.00%
OTHER INGREDIENTS	98.00%
TOTAL	100.00%



KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/other panel(s) for additional precautionary statements.

NET WEIGHT: 1 LB / 8 OZ / 3½ OZ

FIRST AID

Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a physician immediately.

Have the label with you when obtaining treatment advice.

If swallowed	Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed or inhaled. Avoid skin contact. Do not breathe dust. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Keep out of any body of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Storage:	Store and transport only in an upright position, in the original container, and in a dry place inaccessible to children and pets.
Disposal:	<i>If empty</i> --Do not reuse empty container. Place in trash or offer for recycling if available. <i>If partially filled</i> --Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Use restrictions. For use against moles and pocket gophers in lawns, golf courses, and other non-crop areas. Do not apply in gardens and areas where food or feed may be contaminated. Only apply the bait underground. Collect and bury all dead animals found above the ground.

Specific directions for moles. The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

Surface Ridges. Prior to treatment determine which burrows are active according to one of the following two methods. Either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and recheck in 24 hours. The burrow is considered active if the flattened runway has been raised up or if the roof has been repaired. Only treat active burrows.

Carefully punch a hole in the top of active tunnels, drop a teaspoonful amount of Moletox and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment.

Conical Mounds. Remove center plug from the conical mounds with aid of a long-handled spoon and drop a teaspoonful amount of Moletox into the underground tunnel. Close opening with rock or sod. Do not allow loose dirt to cover bait.

Bulb Protection (fall planted). Pack about one-quarter inch of soil against each bulb. Place several baits at sides of and around the bulb. Then cover.

In cases of repeated reinfestation (usually due to high population pressure in surrounding areas), treatment of desirable areas with a soil insecticide may be advisable.

Specific directions for pocket gophers. Burrowing pocket gophers (*Thomomys* spp and *Geomys* spp) throw out low, fan shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. With a long-handled spoon carefully remove the plug. Insert a teaspoonful of Moletox as far down as possible. Reclose opening, being careful not to cover bait with soil.

The buyer must assume all responsibility for use of this product when not used in strict

accordance with directions or established sale practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

Buyer's Guarantee Limited to Label Claims.

Manufactured by
BONIDE PRODUCTS, INC.
Oriskany, NY 13424