

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS — CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove birds, pets and cover aquariums before spraying. Do not use on edible crops.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the plant is not in operation.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Shake well before each use. Remove protective cap. An arrow on button toward area to be sprayed. Do not spray during windy conditions. Push top of button with finger tip to release ingredients.

FOR USE IN HOUSEHOLDS AND INDUSTRIAL PLANTS

KILLS FLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Repeat treatment as necessary.

KILLS WASPS AND HORNETS: Space spray. — Before applying, close all doors, windows and ventilate openings. In unfinished attics and crawl spaces where direct spray cannot reach pests, point nozzle upward and fill the area with mist at the rate of 35 seconds per 1,000 cu. ft. of space. Leave treated area immediately after application is complete, closing off area for at least 1-2 hour. Ventilate area when treatment is complete. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes. Spray thoroughly into cracks, crevices, must areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible as a contact spray. Repeat applications as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS — REDUCE ANNOYANCE FROM FLYING INSECTS AROUND PICNIC AND RECREATIONAL AREAS, HOMES AND INDUSTRIAL PLANTS.

Kill mosquitoes, gnats, house flies, biting flies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

NUISANCE PESTS — ON OR ENTERING BUILDINGS:

WASPS AND HORNETS: Direct spray. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances. Repeat as necessary.

IMPORTANT — Sweep up all dead insects and deposit these sweepings into a closed garbage container within two hours after each treatment.

Buyer's guarantee limited to label claims and refund of purchase price.

Mfg. by **BONIDE CHEMICAL CO., INC.** YORKVILLE, N.Y. 13495

BONIDE

HORNET AND WASP BOMB

CONTAINS:
SBP-1382(R)/BIOALLETHRIN

KILLS HORNETS AND WASPS AND OTHER LISTED NUISANCE PESTS

EPA Reg. No. 4-288 EPA Est. No. 36334 OH-2

ACTIVE INGREDIENTS

* + Resmethrin [(S (phenylmethyl)-3 furanyl) methyl 2,2 dimethyl 3 (2 methyl 1 propenyl) cyclopropanecarboxylate Related compounds	0.200%
+ + d trans Allethrin (allyl homolog of Cinerin I) Related compounds	0.027%
0.400%	
Aromatic petroleum hydrocarbons	0.030%
Petroleum distillate	0.265%
92.578%	
INERT INGREDIENTS	100.000%

* Cis trans isomers ratio max. 30% (±) cis and min. 70% (±) trans
+ Resmethrin SBP-1382(R)
+ Bioallethrin

SHAKE WELL BEFORE USING

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

NET WT. 12 OZ.

BEST AVAILABLE COPY

