


BONIDE GRASS-N-WEED KILLER READY TO USE, EPA File Symbol, 4-GNU

Buyer's Guarantee Limited to Label Claims

© 1982 & Mfg. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

**BEST DOCUMENT AVAILABLE**




LE

thru  
Red

BOMIDE

Yellow  
White  
Red



White  
thru  
Red

NON-SELECTIVE - KILLS ALL GROWTH. NON-FLAMMABLE. NON-VOLATILE.  
 Use on Driveways, Paths, Walks, Tennis Courts, Parking Lots,  
 Patios, Waste and Storage Areas.  
 Trim around Trees, Fruit Trees and Shrubbery.

Black  
on  
Red

EPA Est. No. 4-NY-1

EPA File Symbol 4-GNU

ACTIVE INGREDIENT:

*Ammonium Sulfamate.....	5.2%
--------------------------	------

INERT INGREDIENTS:

.....	94.8%
-------	-------

\*Equivalent to .45 lbs. per gallon @ 60°f.

**ACCEPTED**  
  
 SEP 13 1982  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4-304

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
 (See Side Panel for Additional Precautionary Statements)

CONTENTS: 8 Ounces  
 1 Pint  
 1 Quart  
 1 Gallon  
 or 1 Gallon

BEST DOCUMENT AVAILABLE

E

BONIDE GRASS-N-WEED KILLER READY TO USE, EPA No. 4-GNU

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause skin irritation. Avoid contact with skin. In case of contact and after use wash with plenty of water.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse container. Wrap container and place in trash collection. Do not store near seed, fertilizer, insecticides or fungicides.

BONIDE GRASS-N-WEED KILLER READY TO USE - to control grass and weeds in driveways, paths, walks, tennis courts, parking lots, patios, waste and storage areas.

Choose a calm period to avoid wind drift to near-by growth. Use coarse sprays (large droplets or stream) which are less likely to drift. Direct sprays away from lawns or desirable plants to avoid injury. If accidentally applied to valuable plants, prompt dilution, e.g. washing off with hose, will reduce and possibly prevent damage. Conversely, rainfall or dilution after application within 48 hours will interfere with desired results. Apply as a drenching spray anytime after foliage is developed until frost. Best results are obtained when applied during hot and humid weather. Sprayer has off-spray control nozzle. Turn counterclockwise (looking at it) for coarse spray. Direct spray away from you during nozzle adjustment and application.

For use around trees and fruit trees to control woody plants under apple and pear trees. Do not allow spray or drift to contact tree foliage or fruit as injury will result. Spray on tree trunks only if bark is well developed, showing no green. Avoid excessive wetting of bark.

1975

SOLE

F