

PM 03

4-309

6/18/99

1343

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
250666

Application for Pesticide - Section I

1. Company/Product Number 4-309	2. EPA Product Manager Larocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bonide Rose, Flower & Ornamental Insect Spray Ready-to-Use	PM# 03	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 2 Wurz Avenue Yorkville, NY 13495 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

JUN 18 1999

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

See attached.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent	Telephone No. (Include Area Code) (540) 342-4148
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature Rebecca M. Horton	3. Title Consultant/Agent	
4. Typed Name Rebecca M. Horton	5. Date 6/10/99	

Best Available Copy

2/3

Optional Marketing Statements

Kills: Aphids, Leafhoppers,
Whiteflies, Flea Beetles,
& other listed insects.

Kills Japanese Beetles and
other listed insects on:
vegetables, flowers,
ornamentals, trees, &
shrubs.

BONIDE

Rose, Flower & Ornamental
Insect Spray
READY-TO-USE

AN EFFECTIVE INSECTICIDE FOR USE ON
ORNAMENTAL PESTS. KILLS GYPSY MOTH
CATERpillARS AND JAPANESE BEETLES IN
ADDITION TO OTHER LISTED INSECTS.

ACTIVE INGREDIENTS	
* Pyrethrin (CAS # 8003-34-7)	0.20%
- Piperonyl Butoxide, Technical (CAS # 51-03-6)	0.20%
OTHER INERT INGREDIENTS	99.60%

* From PYRENONE - Registered trademark of Agreus

~~Equivalent to 0.16% (butylcarbitol) (6-pyridyl-piperonyl ether) and 0.04% inert compounds.~~

NOTIFICATION

JUN 18 1999

CAUTION - KEEP OUT OF REACH OF CHILDREN

See back panel for additional Precautionary Statements.


DO NOT TRANSPORT OR STORE UNDER 10°
If freezing occurs, thaw and agitate vigorously.

NET CONTENTS _____

ACCEPTED

APR - 7 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
registered for the pesticide
under
EPA Reg. No. 4-309



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

ACCEPTED
APR 7 1997

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4-309

STORAGE AND DISPOSAL: Do not store under 32°F. Do not reuse empty container. Wrap container and put in trash collection.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

To Operate: Shake Before Using: Turn nozzle of sprayer to "spray" or "stream" position. Prime sprayer by holding at cap level of bottle and pumping trigger. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage. Set nozzle to closed position.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations.

Use on the following ornamentals: African Violet, Azaleas, Begonias, Camellias, Dandelions, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds. To control: Aphids, flea beetles, leafhoppers and whiteflies. To kill Gypsy moths, caterpillars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on contact.

On Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

FOR USE ON VEGETABLES TO CONTROL INSECTS

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. Repeat treatment weekly or as needed to control infestations. May be applied on any of harvest.

Use on the following crops: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes. To Control: Asparagus beetles, Aphids, Leafhoppers, Whiteflies, Mexican bean beetles, 12-Spotted cucumber beetles, Cabbage loopers, Cross-striped cabbageworms, diamondback moth larvae, Flea beetles, Harlequin bugs, Imported cabbageworms, Stink bugs, Green peach aphids, Leafhoppers, Fireworms, Blister beetles, Colorado potato beetles and Webworms.

FOR USE AS A FLYING INSECT SPRAY

Indoors as a Space Spray: To control Houseflies, Fruit flies, Mosquitoes, Gnats and Small flying moths. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct mist toward upper portions of the enclosure filling the room with mist. Use 2 to 3 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

Outdoors, Adult Mosquito Control: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest, particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at the rate of 4 ounces per 1,000 square feet (1.5 quarts per acre).

To control mosquito larvae, apply at the rate of 2 1/2 ounces per 1,000 square feet (7.5 gallons per acre). Apply as a coarse spray to the surface of, or in shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

Buyer assumes all risks of use, storage or handling of this products not in strict accordance with directions given herewith.