

opening with rock or sod. Do not allow loose dirt to cover bait.

Specific directions for pocket gophers. Do not apply by burrow builder under this label. Burrowing pocket gophers (Thomomys spp. and Geomys spp.) throw out low, fan shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. With a long-handled spoon carefully remove the plug. Insert a teaspoonful amount as far down as possible. Reclose opening, being careful not to cover bait with soil.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

SEE PANEL:

Precautionary Statements
Hazards to Humans and Domestic Animals

DANGER: Convulsive Poison! Do not contaminate food or feedstuffs. Keep away from children, pets and domestic animals. Keep pets off treated areas. Do not use in vegetable gardens.

Statement of Practical Treatment: If swallowed, if less than ten (10) minutes has passed since the poison was taken, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Give patient lie down in quiet, darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

Environmental Hazards: The product is toxic to fish, birds, and wildlife. Do not allow treated bait to be exposed above the ground. Clean up spilled bait immediately. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

Keep this and all contents of this container out of the reach of children. Do not use if the container is leaking. Do not use if the container is damaged. Do not use if the container is empty. Do not use if the container is wet. Do not use if the container is dry.


Black print, except where indicated otherwise

White print----- B O T T L E
thru red

White outline-----

Yellow-----

Red-----



White thru

Red-----AN EFFECTIVE INSECTICIDE FOR USE ON VEGETABLE PESTS
ENVIRONMENTAL FORMULA CONTAINS NO PHENOLIC CARBONS

EPA Est. No. 4-NY-1

EPA Reg. No. 4-

*ACTIVE INGREDIENTS:

Pyrethrins.....	0.02%
** Piperonyl Butoxide, Technical.....	0.20%
INERT INGREDIENTS:.....	99.78%
	<u>100.00%</u>

*From PYRENE - Registered trademark of
Fairfield American Corporation

**Equivalent to min. 0.16% (butylcarbityl) (n-propyl-
piperonyl) ether and 0.04% related compounds.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 7 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4-310

CAUTION: KEEP OUT OF REACH OF CHILDREN
Use Side Panel for Additional Precautionary
Instructions

DO NOT BURN FOUL OR STORE UNDER 32°F
If freezing occurs, thaw and agitate vigorously.

BEST DOCUMENT AVAILABLE

NO. 1000000

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not store under 32°F.

Do not reuse empty container. Wrap container and put in trash collection.

TO OPERATE: MAKE SURE MIXING. Turn nozzle of sprayer to "spray" or "stream" position. Prime sprayer by holding at eye level of bottle and pulling trigger. Hold pump handle 1/2 to 3/4 inch from trigger as trigger is being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Do not water through sprayer after use. Sprayer should be cleaned thoroughly and stored empty in storage. Do not use for other purposes.

This insecticide may be used indoors, outdoors or in greenhouse. Throughout the growing season, or as a pre-harvest treatment when the crop is ready for harvest. It is effective against many insects and mites. It is also effective against ticks and fleas. It is also effective against house flies and mosquitoes. It is also effective against many other insects and mites.

Bonide Tomato-Pepper-Vegetable Spray
Ready-to-Use, EPA Reg. No. 9-

Use on the following crops: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach, and Tomatoes. To control: asparagus beetles, aphids, leafhoppers, white flies, Mexican bean beetles, striped cucumber beetles, cabbage looper, cross-striped cabbage worm, diamondback moth larvae, flea beetles, harlequin bug, imported cabbageworm, stink bugs, green peach aphids, leaf tiers, airworms, blister beetles, Colorado potato beetle and webworms.

Payer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

MFG. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

BEST DOCUMENT AVAILABLE