

Not Reviewed. Registration claims to be in accordance with
 Registration of Pesticide Products Submitted for Phase 2
 Registration, Part 2.17, which is part of the 24 CFR

SITE	PESTS	VOLUME OF PRODUCT/GALLON OF WATER	COMMENTS
Fruits and berries such as apple, pear, peach, plum, cherry, grape, currant gooseberry, raspberry, strawberry, strawberry, and blueberry	Aphids, Leafhoppers, Egg-eating Thrips	1 teaspoon	Do not apply within one day of collection. Repeat every 5-10 days or as needed.
	Ingested Curculionids, Citrus-noddy Fruit Worms, Raspberry Fruit Worms, Blueberry Midge, Cherry Fruit Fly, Strawberry Root Worm (adult), Red-necked Borer, Japanese Beetle, and Mites	2 teaspoons	
	Strawberry Leafrollers and Rose Chiggers	4 teaspoons	
Vegetables such as peas, bean, leaf cucumber, squash, melon, potato, tomato, cabbage, spinach, lettuce, celery, asparagus, pepper, eggplant, onion, carrot and corn	Aphids, Leafhoppers, Egg-eating Thrips	1 teaspoon	Do not apply within one day of harvest. Repeat every 5-10 days or as needed.
	Cabbage Worms, Bean Beetles, Leaf Webworms, Red Webworms, Asparagus Beetles, Japanese Beetles, Lygus Bugs, Whiteflies, Garden Fleahoppers, Harlequin Bugs, Oblique-banded Leaf Roller, Stink Bugs, Cucumber Leafhoppers, Melon Worms, Tortoise Beetle, Garden Webworms, Ailanthus Webworms and Mites	2 teaspoons	
	Colorado Potato Beetle, Cucumber Beetles, Flea Beetles, Vegetable Weevils, Squash Flies (Nymphs), Squash Vine Weevils, European Corn Borers - 3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals	4 teaspoons	
Ornamentals such as Poplar, Larch, Dogwood, Willow, Birch, Spruce, Maple, Oak, Elm, Pine, Spruce, Cedar, Yew, Spirea, Lilac, Zinnia, Aster, Peonies, Geranium, Dahlia, Gladiolus, Phlox, Sweet Pea, Marguerite, Carnation, Chrysanthemum and Ferns	Aphids, Leafhoppers, Egg-eating Thrips	1 teaspoon	Same as for vegetables above.
	Chlorophyllous Leaf Roller, Sawfly Larvae, Boxelder Bugs, Japanese Beetles, Elm Leaf White Larvae, Mites, Lygus bugs, Lace bug, Greenhouse Whiteflies, Stink bugs, Garden Fleahoppers, Greenhouse Cicadas	2 teaspoons	
	Cucumber beetles, Rose chiggers, Ants, Acanthids, Flea beetles	4 teaspoons	

2 teaspoons per 1 gal / 100 gals. Repeats up to 1 year depending on density of infestation. TO KILL LICE, FLEAS AND TICKS ON DOGS, CATS AND FUR MISES: Use outdoors and wear rubber gloves while handling product. For lice and fleas, dilute at the rate of 1 tablespoon per gallon. For ticks, dilute at the rate of 4 tablespoons per gallon. Apply directly to animals as a spray or wash. Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animals' living quarters. Recommendations for use of this product are based upon tests believed to be reliable. The buyer must assume responsibility for use of the product when not used in strict accordance with label directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by

BONIDE PRODUCTS, INC. - YORKVILLE, NY 13495

NET CONTENTS 1 Quart 1/2 Gal. 1 Gal.

KEEP OUT OF REACH OF CHILDREN
WARNING
 See side panel for additional precautionary statements and statement of practical treatment.

A COMBINATION OF ORGANIC INSECTICIDES FOR EASY MIXING WITH WATER. SAFE FOR USE ON THE LISTED FRUITS, VEGETABLES AND ORNAMENTAL PLANTS. ALSO FOR USE ON DOGS AND CATS TO KILL LICE, FLEAS AND TICKS.

ACTIVE INGREDIENTS:
 Rotenone 1.1% w/w
 Other Cube Extractives 2.2%
 Pyrethrins 0.6%
 Inert Ingredients 95.9%
 Contains Aromatic Petroleum Solvent 100.0% w/w

EPA Reg. No. 4-315 EPA Est. 4-NY-1

APHID CUCUMBER BEETLE LEAFHOPPER

BONIDE
 LIQUID
ROTENONE/PYRETHRINS
 SPRAY

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING
 May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT — If swallowed: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard. If in eyes or on skin, flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS — This pesticide is extremely toxic to fish. Do not apply directly in water or wetlands (ponds, bays, marshes, and streams). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contribute water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS — DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

DIRECTIONS FOR USE — It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL — Store in original container in a cool, dry place, and in an area inaccessible to children and pets. Securely wrap container in several layers of newspaper and place in trash collection.

Mix this product with water as directed in the following chart to control the listed pests of ornamentals, vegetables, fruits and berries. Use a hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant.