

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.  
4-333

DATE OF ISSUANCE

AUG 21 1986

TERM OF ISSUANCE

CONDITIONAL

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT  
Bonide Slug, Snail &  
Sowbug Bait

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Bonide Chemical Company, Inc.  
2 Wurz Avenue  
Yorkville, NY 13495

173692

18/03

161

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 4-333."
- b. Revise your If Swallowed Statement of Practical Treatment to read:

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

*Lawrence J. Schaubelt*

DATE

AUG 21 1986

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lawrence J. Schnaubelt  
Acting Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

BONIDE®

Can be used  
around vegetable  
gardens.

SLUG, SNAIL  
&  
SOWBUG BAIT

THIS EXCEPTIONAL APPLE PUMACE BAIT WILL ATTRACT AND KILL SLUGS, SNAILS, ANTS, EARWIGS, CUTWORMS, SOWBUGS, MILLIPEDES, CRICKETS, GRASSHOPPERS, ARMY-WORMS AND CHINCHBUGS AROUND FLOWERS, SHRUBS, LAWNS, AND CERTAIN LISTED VEGETABLES. READ ENTIRE LABEL BEFORE USE.

Earwig

Slug

Sowbug

EPA Est. No. 4-NY-1 EPA Reg. No. 4-

ACTIVE INGREDIENTS:

- Carbaryl (1-Naphthyl N-Methyl Carbamate)..... 5.0%
- Metaldehyde..... 2.0%
- INERT INGREDIENTS:.....93.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions. See side panel for additional precautionary statements.

NET WT.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

AUG 21 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4-323

BONIDE SLUG, SNAIL & SOWBUG BAIT, EPA Reg. No. 4-

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of feed and foodstuffs.

**IMPORTANT:** Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by administration of syrup of ipecac or under medical supervision. Call a physician.

If in eyes, flush with plenty of water. Get immediate attention.

If on skin, remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

BONIDE SLUG, SNAIL & SOWBUG BAIT draws pests to it for better results. It works two ways - by simple contact or by being eaten.

**KILLS:** Slugs, Snails, Ants, Earwigs, Cutworms, Armyworms, Sowbugs, Millipedes, Crickets, Grasshoppers. **PROTECTS:** Flowers, Ornamentals, Shrubs, Lawns and certain listed vegetables. Remains effective after rain or sprinkling.

BONIDE SLUG, SNAIL & SOWBUG BAIT, EPA Reg. No. 4-

**HOW TO USE:** Be sure area to be baited is damp. In dry weather, water area well before baiting. Apply bait in evening or at night as these pests feed mainly at night. Until under control, bait should be renewed every two weeks or more often for heavy infestations. Slugs and snails favor dark, damp places. Bait especially well shaded areas around flowers, shrubs, rockeries and other ornamentals where these pests may during daylight hours. Slugs, snails and the listed insects are attracted to the bait. Place bait upwind to the infestation for best results. Upwind is the direction from which the wind is blowing from bait toward pests. Slugs, snails and the listed insects travel or migrate extensively. When invasions from adjacent areas are a probability, a lightly applied band of bait the entire length of the infested area will provide a barrier and aid in control.

**FLOWERS, ORNAMENTALS, SHRUBS, GROUND COVERS**

To kill slugs, snails, armyworms, earwigs, sowbugs, millipedes, crickets, chinch bugs and grasshoppers broadcast the bait lightly over the infested area using 1 pound per 250 square feet.

**DICHONDRA LAWNS, TURF LAWNS**

To kill slugs and snails, water infested areas thoroughly. Broadcast directly on lawn or turf. Do not water treated areas for 48 hours. Use 1 pound to cover 1,500 sq. ft. of infested area.

**VEGETABLES**


To kill slugs, snails, armyworms, cutworms, earwigs, sowbugs, crickets, grasshoppers.

Broadcast lightly on soil surface around plants, using 1 lb. per 1,000 sq. ft. of garden area.

Do not allow bait to contact foliage or edible part of crops. Observe the number of days before harvest for last application as noted in chart:

| CROP                                                                                                                         | Days between final application and harvest |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| Beans, Carrots, Corn, Eggplant, Peppers, Tomatoes, Potatoes                                                                  | 0                                          |
| Asparagus, Strawberries                                                                                                      | 1                                          |
| Beets (roots), Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Lettuce (head), Parsnips, Radish, Rutabaga, Turnips (roots) | 3                                          |
| Beets (tops), Kale, Lettuce (leaf), Spinach, Turnips (tops)                                                                  | 14                                         |

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).



BONIDE SLUG, SNAIL & SOWBUG BAIT, EPA Reg. No. 4-

The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Mfg. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

