

1074

112

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NUMBER 4-334	DATE OF ISSUANCE AUG 21 1986
	TERM OF ISSUANCE CONDITIONAL	
	NAME OF PESTICIDE PRODUCT Bonide Slug & Snail Beater	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Bonide Chemical Company, Inc. 2 Wurz Avenue Yorkville, NY 13495		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Add the phrase "EPA Registration No. 4-334" to your label before you release the product for shipment. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.		
Lawrence J. Schnaubelt Acting Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)		
Enclosures		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL <i>Lawrence J. Schnaubelt</i>		DATE AUG 21 1986

175569
18/03
No1

Can be used
around fruits
and vegetables.

BONIDE

SLUG-N-SNAIL
BEATER

SPECIALLY FORMULATED PELLETS THAT WILL ATTRACT
AND KILL SLUGS AND SNAILS IN LAWNS, ORNAMENTAL
GARDENS, GROUND COVERS AND GREENHOUSES AS WELL
AS AROUND FRUITS AND VEGETABLES. ECONOMICAL AND
EASY TO USE. CLEAN TO HANDLE. HIGHLY COMPRESSED
PELLETS LAST LONGER THAN ORDINARY BAITS. 1 LB.
TREATS 1,000 SQ. FT.

Picture of
slug

Picture of
snail

EPA EST. NO. 4-NY-1 EPA REG. NO. 4-

ACTIVE INGREDIENT:

Metaldenhyde.....	3.25%
INERT INGREDIENTS.....	96.75%

KEEP OUT OF REACH OF CHILDREN

CAUTION

This pesticide may be fatal to
dogs or other pets if eaten.
Keep pets out of treated area.
See side panel for additional
precautionary statements.

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 21 1986

NET WT.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4-334

PRECAUTIONARY STATEMENTSHAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. **IMPORTANT:** Keep pellets away from children, dogs, and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, immediately induce vomiting by administration of syrup of ipecac or under medical supervision. Call a physician. If in eyes, flush with plenty of water. Get immediate attention. If on skin, Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of food and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. **Disposal:** Product: Partially filled carton may be disposed of in several layers of newspaper and discard in trash. Container: Do not reuse container. Discard container in trash.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS

The presence of snails and slugs can be detected by their shiny mucous like trail. They are night feeders and prefer cool places in the ornamental garden, flowers, under boards, or flower pots and around fences, hedges and bushes.

BONIDE SLUG-N-SNAIL BEATER, EPA Reg. No. 4-

If ground is dry, water area to be treated thoroughly. Do not place pellets in piles. Scatter the pellets around flowers, ornamental plants and lawn areas. Apply one pound of pellets to each 1,000 sq. ft. (40 lbs./acre). Apply only to soil surface around plants. Do not apply to foliage or other plant parts. Always wear protective gloves.

Bait areas likely to be infested at the beginning of the spring planting season before damage occurs. Treatment every two weeks should give satisfactory control. During periods of high rainfall or frequent waterings, it may be necessary to treat more often.

Sprinkle lightly with water after application. Each compressed pellet when moistened from wet ground, rain, or water expands into an efficient, pest-attracting source of bait.

GREENHOUSES AND BATH HOUSES: Distribute pellets on and beneath benches, but do not place in pots or flats unless plants are well established. Keep pellets from coming in contact with plants. If soil is dry, irrigate prior to or sprinkle lightly after distributing pellets.

FRUITS AND VEGETABLES: To control snails and slugs around the following fruits and vegetables, apply to the soil surface around the plants. Do not contaminate edible parts.

FRUITS: Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries

VEGETABLES: Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes and Turnips

The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Mfg. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

