

4-334

07/31/2003

1/4



**ACCEPTED**  
 JUL 31 2003  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 Registered under  
 EPA Reg. No. 4-334



## SLUG - N - SNAIL BEATER

Optional Marketing Statements:

CAN BE USED AROUND FRUITS AND VEGETABLES  
 SPECIALLY FORMULATED PELLETS THAT WILL ATTRACT AND KILL SLUGS AND  
 SNAILS IN LAWNS, ORNAMENTAL GARDENS, GROUND COVERS AND  
 GREENHOUSES AS WELL AS AROUND FRUITS AND VEGETABLES.  
 ECONOMICAL AND EASY TO USE.  
 CLEAN TO HANDLE.  
 HIGHLY COMPRESSED PELLETS LAST LONGER THAN ORDINARY BAITS.  
 1 LB. TREATS 1,000 SQ. FT.



**ACTIVE INGREDIENT:**

Metaldehyde (CAS #108-62-3)..... 3.25%

**OTHER INGREDIENTS:**..... 96.75%

**TOTAL**..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.  
 See back/side/other panel(s) for additional precautionary statements.

**NET WEIGHT:** \_\_\_\_\_

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Telecommunications Network at 1-800-858-7378 for emergency medical treatment information.

|                                |  |
|--------------------------------|--|
| <b>If swallowed:</b>           | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>If inhaled:</b>             | <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>  |
| <b>If on skin or clothing:</b> | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If in eyes:</b>             | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals.

**IMPORTANT:** Keep pellets away from children, dogs, and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**Storage:** Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

**Disposal:** *If empty* – Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

**DIRECTIONS**

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

The presence of snails and slugs can be detected by their shiny mucous-like trail. They are night feeders and prefer cool places in the ornamental garden, flowers, under boards or flower pots, and around fences, hedges and bushes.

If ground is dry, water area to be treated thoroughly. Do not place pellets in piles. Scatter the pellets around flowers, ornamental plants and lawn areas. Apply one pound of pellets to each 1,000 sq. ft. (40 lbs./acre). Apply only to soil surface around plants. Do not apply to foliage or other plant parts. Always wear protective gloves.

Bait areas likely to be infested at the beginning of the spring planting season before damage occurs. Treatment every two weeks should give satisfactory control. During periods of high rainfall or frequent waterings, it may be necessary to treat more often.

Sprinkle lightly with water after application. Each compressed pellet when moistened from wet ground, rain, or water expands into an efficient, pest-attracting source of bait.

**GREENHOUSES AND LATH HOUSES:** Distribute pellets on and beneath benches, but do not place in pots or flats unless plants are well established. Keep pellets from coming in contact with plants. If soil is dry, irrigate prior to or sprinkle lightly after distributing pellets.

**FRUITS AND VEGETABLES:** To control snails and slugs around the following fruits and vegetables, apply to the soil surface around the plant. Do not contaminate edible parts.

**FRUITS:** Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries

**VEGETABLES:** Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes and Turnips

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

**The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.**

**Manufactured by:**

**Bonide Products, Inc.**

**Oriskany, NY 13424**