

CERTIFICATION OF COMPLIANCE

Amendment to the Registration Standard for
2,4-dichlorophenoxyacetic acid (2,4-D) and
its inorganic salts, amines and esters

February 7, 1990


B. Baker

I, being an authorized representative of Bonide Products, Inc. understand the labeling requirements specified in the Registration Standard for 2,4-Dichlorophenoxyacetic Acid as amended and included therein by reference. Further, I certify that all containers of Bonide Weed Beater Crabgrass and Lawn Weed Killer, EPA Reg. No. 4-335, released for shipment after March 1, 1991, will bear revised labeling in accordance with those requirements.

Annabel Olson
Annabel Olson

Registration Specialist
Title

March 14, 1990
Date



WEED BEATER

Crabgrass
and
Lawn Weed Killer

kills...

Smooth and Large Crabgrass, Chickweed, Barnyard Grass, Dallis Grass, Nutsedge, Sandbur, Wood Sorrell, Bahia Grass and Broadleaved Weeds, such as Plantain, Dandelion, Purslane, Yarrow, Ground Ivy and Poison Ivy
WITHOUT HARMING LAWNS. READ DIRECTIONS ON BACK LABEL.

E.P.A. Est. No. 4-NY-1

E.P.A. Reg. No. 4-285

ACTIVE INGREDIENTS:

*Disodium Methane arsonate 4.5%

**Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic Acid 1.4%

INERT INGREDIENTS: 84.1%

*Equivalent to Arsenic as Elemental 18%.

**2, 4-Dichlorophenoxyacetic Acid Equivalent 115%.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements.

ENVIRONMENTAL HAZARD

~~This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes.) Do not contaminate water when disposing of equipment washwaters.~~

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in original container and place in locked storage area. Avoid contamination of feed, foodstuffs, fish ponds, water supplies and streams. Store in a cool, dry area away from seeds, fertilizers, insecticides or fungicides.

Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash. Do not burn.

~~This product can reach groundwater from improper handling. To minimize groundwater contamination from spills during loading and cleaning of equipment, take the following steps:~~

~~**Handling:** When handling this product, wear chemical resistant gloves. Wash non-disposable gloves thoroughly with soap and water before removing. If spills occur, collect the material and dispose of by following disposal instructions on this label.~~

~~**Cleaning of Equipment:** When cleaning equipment, do not pour the washwater on the ground. Spray or drain over a large area away from wells and other water sources.~~

DIRECTIONS

Mow lawn to a height of 1 to 2 inches, 2-4 days prior to application and delay mowing for 3 days after application. Water area to be treated thoroughly with hose immediately before application so that the material will adhere to the leaves of the weeds.

For best results on Crabgrass, make 2 or 3 applications 5 to 7 days apart.

For broad-leaved weeds, 1 or 2 applications may be sufficient.

Can be applied anytime weeds and Crabgrass are growing — late Spring, Summer or early Fall. Best results are obtained when temperatures are between 80° to 90°F.

Should new weed or Crabgrass infestation appear, repeat treatment.

Do not use on newly seeded lawns until mowed twice.

Do not apply during extreme drought as temporary browning on fescues and bentgrasses may occur. This product may injure carpetgrass, centipede grass, St. Augustine grass, dichondra and clover in lawns. Avoid application to garden shrubs or flowers that may be injured by 2, 4-D. In case of accidental heavy overdose, watering the over-dosed area will reduce or prevent damage.

For best results, do not reseed lawn until 2 weeks after application. Normal lawn sprinkling may be resumed 48 hours after treatment. This product will be absorbed by weeds within 24 hours.

SUGGESTED SPREADER SETTINGS

Cyclone	4	MTD Drop	5
Scott Drop	5	MTD Broadcast	4
Scott Rotary	'G'	Jackson	6

NOTE: Above spreader settings are approximate. Allowances must be made for condition and proper adjustment of spreader.

Buyer's Guarantee Limited to Label Claims

Manufactured by

BONIDE CHEMICAL CO., INC. • YORKVILLE, NY 13495