

Reg # 4-335

PM-23


#4-335

174

**Certification of Compliance**

I, being an authorized representative of Bonide Products, Inc., certify that all containers of EPA Reg. No. ~~4-335~~ Bonide Weed Beater Crabgrass and Lawn Weed Killer, EPA Reg. No. 4-169/Bonide Lawn Weed Killer, EPA Reg. No. 4-173/Bonide Lawn Weed Killer produced by June 15, 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by January 1, 1995, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

Signature: James J. Wury Date: 1-19-93



# BONIDE

FRONT  
PANEL

294

## TREATS 5,000 SQUARE FEET

### NET WEIGHT 10 LBS.

### JUST POUR IN SPREADER AND WALK

### MAY BE APPLIED IN LATE SPRING, SUMMER OR EARLY FALL

# WEED BEATER

## Crabgrass and Lawn Weed Killer

**BEST AVAILABLE COPY**

### kills...

Smooth and Large Crabgrass, Chickweed, Barnyard Grass, Dallis Grass,  
Nutsedge, Sandbur, Wood Sorrell, Bahia Grass and Broadleafed Weeds, such as,  
Plantain, Dandelion, Purslane, Yarrow, Ground Ivy and Poison Ivy  
WITHOUT HARMING LAWNS. READ DIRECTIONS ON BACK LABEL.

EPA Est. No. 1-NY-1

EPA Reg. No. 335

#### ACTIVE INGREDIENTS.

*Disodium Methanearsonate .....	4.5%
**Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic Acid .....	1.4%

INERT INGREDIENTS .....	94.1%
-------------------------	-------

\*Eq. to 1.0% of Arsenic, Element X  
\*\*2, 4-Dichlorophenoxyacetic Acid Eq. to 1.1%

### KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

394

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS—CAUTION

Keep out of reach of children, domestic animals, feed or food products. Keep children and domestic animals off treated areas until this material has been washed into the soil. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. In case of contact and after each use flush or wash with water. If swallowed, induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Notify a physician.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

When using this product, wear long-sleeved shirt, long pants, socks, and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

### ENVIRONMENTAL HAZARD

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**Storage:** Store in original container and place in locked storage area. Avoid contamination of feed, food-stuffs, fish ponds, water supplies and streams. Store in a cool, dry area away from seeds, fertilizers, insecticides or fungicides.

**Disposal:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash. Do not burn.

This product can reach groundwater from improper handling. To minimize groundwater contamination from spills during loading and cleaning of equipment, take the following steps;

**Handling:** When handling this product, wear chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. If spills occur, collect the material and dispose of by following disposal instructions on this label.

**Cleaning of Equipment:** When cleaning equipment, do not pour the washwater on the ground: spray or drain over a large area away from wells and other water sources.

**DIRECTIONS**

Mow lawn to a height of 1 to 2 inches, 2-4 days prior to application and delay mowing for 3 days after application.

Water area to be treated thoroughly with hose immediately before application so that the material will adhere to the leaves of the weeds.

For best results on Crabgrass, make 2 applications 5 to 7 days apart. Additional spot treatments may be made as necessary.

For broad-leaved weeds, 1 or 2 applications may be sufficient.

Can be applied anytime weeds and Crabgrass are growing—late Spring, Summer or early Fall. Best results are obtained when temperatures are between 80° to 90°F.

Should new weed or Crabgrass infestation appear, repeat treatment.

Do not use on newly seeded lawns until mowed twice.

Do not apply during extreme drought as temporary browning on fescues and bentgrasses may occur. This product may injure carpetgrass, centipede grass, St. Augustine grass, dichondra and clover in lawns. Avoid application to garden shrubs or flowers that may be injured by 2, 4-D. In case of accidental heavy overdose, watering the over-dosed area will reduce or prevent damage.

For best results, do not reseed lawn until 2 weeks after application. Normal lawn sprinkling may be resumed 48 hours after treatment. This product will be absorbed by weeds within 24 hours.

**SUGGESTED SPREADER SETTINGS**

Cyclone .....	4	MTD Drop .....	5
Scott Drop .....	5	MTD Broadcast .....	4
Scott Rotary .....	'G'	Jackson .....	6

**NOTE:** Above spreader settings are approximate. Allowances must be made for condition and proper adjustment of spreader.

**Buyer's Guarantee Limited to Label Claims**

Manufactured by  
BONIDE PRODUCTS, INC., YORKVILLE, NY 13495