

4-337

2-14-2003

1/8

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-337	2. EPA Product Manager La Rocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bonide Insect Fog	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB 14 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.) Revised Storage and Disposal consistent with PR Notice 2001-6 (Notification)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, but no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kate Connell	Title Registration Specialist	Telephone No. (Include Area Code) 315/736-8231
2. Signature Kate Connell		6. Date Application Received (Stamped)
3. Title Registration Specialist		
4. Typed Name Kate Connell		
5. Date 2-5-03		

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2/8

BONIDE

NOTIFICATION
FEB 14 2003

INSECT FOG
FOGGING INSECTICIDE WITH PYRETHROID

READY TO USE in all propane, gas and electric foggers.
May also be sprayed.

High knockdown and kill. Low toxicity formula for control of annoying pests including gnats, flies, mosquitoes, ants, spiders, earwigs, hornets.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-337

ACTIVE INGREDIENTS:

•Resmethrin

0.200%
~~99.800%~~

INERT INGREDIENTS:

Contains Petroleum Distillate

*Cis/trans isomers ratio: max. 30%(c)cis and min. 70%(t)trans.
•Roussel Bio's SBP-1382* brand of resmethrin insecticide.
Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 23 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.
4-337

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. See directions and cautions on side panel for additional precautionary statements.

Net Contents: **BEST AVAILABLE COPY**

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin or clothing should be avoided.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless directed by a physician. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on Skin: Wash contaminated skin with soap and water.

If in Eyes: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Avoid contamination of feed and foodstuffs.

Food should be removed or covered in such a way as to prevent contamination during treatment. Do not apply while food processing plant is in operation.

Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

Remove pets, birds, and cover fish aquariums before spraying.

DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife Agency before treating around such waters.

PHYSICAL OR CHEMICAL HAZARDS

This formulation is combustible. Do Not Use or Store Near Heat or Open Flame. Do Not Store Below 32 Degrees F.

STORAGE AND DISPOSAL

~~Do not contaminate water, food or feed by storage or disposal.~~

~~Pesticide Disposal: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.~~

~~Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other approved State and local procedures. Do not reuse empty container.~~

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use outdoors in yards, patios, picnic areas, drive-ins, around swimming pools, poultry houses. For use indoors and outside premises of hotels, motels, homes, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restuarants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins, and hospitals. Also for use in buses, automobiles, trucks, boxcars, ship cargo holds, and in dog kennels and horse stables. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

Before using this pesticide, exposed food and packaging material must be removed or protected. After using pesticide, food processing and handling equipment and utensils must be washed with an effective cleaning compound and thoroughly rinsed with potable water before operations are resumed.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area inaccessible to children or pets. Store and transport in upright position.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or [1-800-CLEANUP or www.cleanup.org] for disposal instructions. Never place unused product down any indoor or outdoor drain.

OUTDOORS

Thermal Applications - This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

For reduction in annoyance from flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, drive-ins, and horse stables.

Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3% gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Contact Spray: To kill nuisance pests around buildings, patios and paved areas: Spray directly on insects. Avoid spraying turf or plants.

Ants: Same as directed for indoor application.

Wasps, Hornets, Yellow Jackets: Application should be made in late evening when insects are at rest. Point spray opening away from face. Aim spray at nest opening in bushes, under eaves, chimneys,

cracks and crevices. Thoroughly saturate nest with spray, contacting as many insects as possible. Spray liberally into hiding and breeding places.

EARWIGS, sowbugs, spiders, centipedes and millipedes: Apply as a contact spray, as for indoor use.

To control flies, mosquitoes and gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants.

BONIDE INSECT FOG, EPA Reg. No. 4-337

INDOORS

Thermal Applications - For use undiluted in electric, propane, or gas-powered thermo-foggers and such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

To kill house flies, mosquitoes, gnats, fruit flies, flying moths (millers): Remove or cover exposed food and food handling surfaces. Remove animals, fish and plants. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. APPLY AS A DRY FOG AT THE RATE OF 1-1/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate the area after treatment.

Space Spray: To kill house flies, mosquitoes, gnats, fruit flies, flying moths (millers): Close off room or area to be treated. Shut off air-conditioner and ventilator system: Seal all open vents. Remove animals and plant life. Cover or remove fish aquariums. Apply undiluted as a very fine mist space spray through manually operated equipment or with electric or other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room or area. Fill the area with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

Contact Spray: To kill cockroaches, waterbugs, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes. Adjust spray to produce large wetting-type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

To Kill Ants: Spray around doors and window frames, ant trails, and hills in addition to direct spray to contact insects.

To Kill Spiders: Spray directly on these pests and

BEST AVAILABLE COPY

(additional instructions for —)

THERMAL APPLICATIONS OUTDOORS: For reduction in annoyance from house flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, drive-ins, and horse stables, and other small area applications. Hold thermal applicator at least 5 ft (1.5 m) from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3 1/4 gal per acre (35 liters per hectare). Fog only when there is no breeze, or the wind velocity is less than 3 mph (5 kph). The ideal time is generally at dusk when wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from the treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Fleas, Ticks, & Black Flies

3 3/4 gals per acre or 1/2 gal per 5000 sq ft.

Note: Treat dogs and cats with a registered flea/tick control product before they re-enter the treated area (such as Bonide Flea, Tick and Lice Powder).

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuses as such, or in combination with other materials.

Mfg. by BONIDE PRODUCTS INC., YORKVILLE, NY 13495

BEST AVAILABLE COPY

Bonide Products, Inc.

6301 Sulliff Road
Oriskany, NY 13424

Telephone: 315-736-8231
Fax: 315-736-7582
Email: mattv@bonide.com

February 5, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
US Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501


RE: Bonide Insect Fog
EPA Reg. 4-337
Revised Storage and Disposal; consistent with PR Notice 2001-6

To Whom It May Concern:

Enclosed, please find a completed form 8570-1 and labeling for the above-mentioned registration. I trust you will find everything in order.

Should you have any questions or need additional information, please do not hesitate to contact me at (315) 736-8231 ext. 230.

Sincerely,



Kate Connell
Registration Specialist

Enc.

