it opy	4-352	12/14/1989	· ·
OFFICE OF F REGISTRA' WASH NOTICE OF PES' (Under the Fede	NTAL PROTECTION AGENCY PESTICIDES PROGRAMS FION DIVISION (75-767) INGTON, DC 20460 FICIDE: REGISTRATION REREGISTRATION PER Insecticide, Fungicide, recide Act, as amended)	TERM OF ISSUANCE ////// Keregi NAME OF PESTICIDE PRODUCT LORIGE Last Sline Beater	Ť
-	REGISTRANT (Include ZIP code)	Т	

Lindblad Street

c.15.11 , ... 10405

NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Product is product that you:

- 1. JumilityCits all data required for registration/reregistration of [180], a what under FIFRA section 3(c)(5) when the Agency requires all a similar products to submit such data.
- 1. 1-year storage stability study must be submitted within 15 months and the of this Registration Motice.
- . Lant live (b) copies of your final printed labeling before you contain the product let adjusted. Refor to the A-79 enclosure for a further time to the best created lateling.
- In the condition of complica with, the registration will be seen as the conditions and with FIFRA section 6(e). Your release with a complication of these conditions.

Dennis H. Edwards, Jr. Product Manager (12) The objected Prodenticide Dranch Regastration Division (E7505C)

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE
Land to the training that I have	12/14/29

BONIDE 4

LAST SLIME
SLUG-N-SNAIL
BEATER
LIQUID CONCENTRATE

With COMMENTS
to EPA Letter Desert

DEC 1 4 1989

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the posticide registered under EPA Hog. No. 4-352

KILLS SLUGS AND SNAILS

FOR USE ON LISTED LAWNS AND AROUND LISTED ORNAMENTALS, FRUITS AND VEGETABLES.

SLUG

SNAIL

EPA EST NO. 4-NY-1 EPA REG. NO. 4-ACTIVE INGREDIENT:

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA.

SHAKE BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for Statement of Practical Treatment and additional Precautionary Statements.

NET CONTENTS:

- 1 Pint (16 F1. Oz.)
- 1 Quart (32 F1. Oz.)
- 1 Gallon (128 Fl. Oz.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of reach of children. May be fatal if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Do not allow the bait to contact the edible portion of any food or feed crop. Wash thoroughly after using.

This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children and pets, poultry and livestock. Protect dogs from treated areas since they may be attracted to this product when applied. Do not allow children and pets to play on treated areas until residues have been washed off and into the soil.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. ANTIDOTE: Artificial respiration: keep chest and lower extremities warm. Digitalis hypodermically: 10 gr. calcium glucomate intravenously.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from treated areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

BONIDE LAST SLIME SLUG-N-SNAIL BEATER, Liquid Concentrate, EPA Reg. No. 4-

NOTE: KEEP FROM FREEZING.

SHAKE BEFORE USING.

<u>Lawns and Ornamentals</u>: Geraniums, Salvia, Primroses, Marigolds, Petunias, Pansies, Dahlias, Iris, Daisies, Begonias, Coleus, Ajuga, and Dichondra.

Fruits: Apples, Blueberries, Cantaloupe, Cherries, Grapes,
Peaches, Pears, Raspberries, Strawberries. Mix 2 oz. per gal. of water
and apply to 100 sq. ft. around listed fruits. Do not allow the spray to contact fruit.

Vegetables: Beans, Broccoli, Cabbage, Carrots, Cauliflower,
Corn, Cucumber, Egg Plant, Lettuce, Onions, Peas, Peppers,
Potatoes, Pumpkins, Radishes, Rhubarb, Spinach, Squash, Tomatoes.
Mix 2 oz. per gal. of water and apply to 100 sq. ft. around listed

vegetables. Do not allow the spray to contact vegetables.

SPRINKLING CAN

Mix 2 ounces (4 tablespoons) per gallon of water. Apply to 100 sq. ft.

HOSE-END SPRAYER

Use 2 ounces (4 tablespoons) for each gallon of water delivered by your sprayer. Apply one gallon of this mix to 100 sq. ft.

For complete control, cover entire area. Bonide Slug-N-Snail Beater should be applied in the evening as slugs feed mostly at night. Re-apply after two weeks or after heavy rain.

Buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Mfg. by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

