



PM
4-2
105
PAUL
✓
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

300 21 1994

JAMES J. WURZ
BONIDE PRODUCTS INC.
2 WURZ AVE.
YORKVILLE, N.Y. 13495

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 01/27/94 in Response to PR Notice 93-7
EPA Reg. No. 4-352
BONIDE LAST SLIME SLUG-N-SNAIL BEATER


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,



James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

1/1/4

BONIDE[®]

LAST SLIME
SLUG-N-SNAIL
BEATER
LIQUID CONCENTRATE

KILLS SLUGS AND SNAILS

FOR USE ON LISTED LAWNS AND AROUND
LISTED ORNAMENTALS, FRUITS AND VEGETABLES.

ACCEPTED
with COMMENTS
In EPA Letter Dated

SLUG

SNAIL

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

EPA EST NO. 4-NY-1

EPA REG. NO. 4-352

ACTIVE INGREDIENT:

Metalddehyde (2,4,6,8-tetramethyl)-

1,3,5,7-tetraoxycyclo-octane 12.5%

INERT INGREDIENTS: 87.5%

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS
IF EATEN. KEEP PETS OUT OF TREATED AREA.

SHAKE BEFORE USING.

KEEP OUT OF REACH OF CHILDREN
WARNING
See back panel for Statement
of Practical Treatment and
additional Precautionary
Statements.

NET CONTENTS:

1 Pint (16 Fl. Oz.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of reach of children. May be fatal if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Do not allow the bait to contact the edible portion of any food or feed crop. Wash thoroughly after using.

This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children and pets, poultry and livestock. Protect dogs from treated areas since they may be attracted to this product when applied. Do not allow children and pets to play on treated areas until residues have been washed off and into the soil.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **ANTIDOTE:** Artificial respiration; keep chest and lower extremities warm. Digitalis hypodermically; 10 gr. calcium glucomate intravenously.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from treated areas. Do not apply directly to water, ~~or wetlands (swamps, bogs, marshes, and potholes)~~. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container. Rinse thoroughly before discarding and securely wrap original container in several layers of newspaper and discard in trash.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

BEST COPY AVAILABLE

BONIDE LAST SLIME SLUG-N-SNAIL BEATER, Liquid Concentrate,
EPA Reg. No. 4-352

NOTE: KEEP FROM FREEZING.

SHAKE BEFORE USING.

Lawns and Ornamentals: Geraniums, Salvia, Primroses, Marigolds, Petunias, Pansies, Dahlias, Iris, Daisies, Begonias, Coleus, Ajuga, and Dichondra.

Fruits: Apples, Blueberries, Cantaloupe, Cherries, Grapes, Peaches, Pears, Raspberries, Strawberries. Mix 2 oz. per gal. of water and apply to 100 sq. ft. around listed fruits. Do not allow the spray to contact fruit.

Vegetables: Beans, Broccoli, Cabbage, Carrots, Cauliflower, Corn, Cucumber, Egg Plant, Lettuce, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rhubarb, Spinach, Squash, Tomatoes. Mix 2 oz. per gal. of water and apply to 100 sq. ft. around listed vegetables. Do not allow the spray to contact vegetables.

SPRINKLING CAN

Mix 2 ounces (4 tablespoons) per gallon of water. Apply to 100 sq. ft.

HOSE-END SPRAYER

Use 2 ounces (4 tablespoons) for each gallon of water delivered by your sprayer. Apply one gallon of this mix to 100 sq. ft.

For complete control, cover entire area. Bonide Slug-N-Snail Beater should be applied in the evening as slugs feed mostly at night. Re-apply after two weeks or after heavy rain.

Buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Mfg. by BONIDE ~~CHEMICAL CO.~~, INC., YORKVILLE, NY 13495
PRODUCTS

BEST COPY AVAILABLE