



# FLEA & TICK DIP


Optional Marketing Statements:

Quick-Kil Concentrate

Kills Fleas, Ticks, and Lice on Dogs and Cats

A Highly Versatile Pyrenone® Concentrate for Dilution with Water

Alcohol Free – Prevents Dry Skin



**ACTIVE INGREDIENTS:**

Pyrethrins (CAS #8003-34-7) ..... 0.5%

\*Piperonyl Butoxide, Technical (CAS #51-03-6) ..... 5.0%

**OTHER INGREDIENTS:**..... 94.5%

**TOTAL**..... 100.0%

\*Equivalent to 4.0% (butylcarbityl)(6-propylpiperonyl) ether and 1.0% related compounds.

PYRENONE® – Registered trademark of Bayer AG.

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back/side/other panel(s) for additional precautionary statements and First Aid.

**ACCEPTED**  
**NET CONTENTS:** \_\_\_\_\_  
 SEP 4 2003

Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the period of registration under EPA Reg. No. 4-363

EPA Reg. No. 4-363  
6/25/03 – amendment

EPA Est. No. 4-NY-1  
Page 1 of 3 Pages

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Telecommunications Network at 1-800-858-7378 for emergency medical treatment information.

**If Swallowed:**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid contamination of feed, food and utensils. Avoid contamination of food and utensils by keeping them covered while spraying the area.

Remove pets, birds and cover fish aquaria before room applications are made.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**Storage:** Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

**Disposal:** *If empty* – Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**SHAKE WELL BEFORE USE.**

**READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR CATS.** Do not repeat treatment for seven (7) days. Do not use on puppies or kittens under twelve (12) weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals.

**DOGS AND CATS:** Dilute at the rate of 3 fluid ounces in 1 gallon of water. For rapid control of *Ticks*, *Fleas* and *Lice*, sponge or dip solution on entire animal, thoroughly wetting the skin. Avoid contact with pet's face, eyes and genitalia.

**FOR RAPID CONTROL OF TICKS, FLEAS AND LICE WITH A MIST SPRAY:** Dilute at the rate of 1 fluid ounce in 9 fluid ounces of water. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur lightly.

In case of an emergency, call 1-800-548-2423 (Animal Poison Control Center).

**TO CONTROL INSECTS IN KENNELS AND ANIMAL QUARTERS:** Dilute at the rate of 2 fluid ounces in 20 fluid ounces of water. Remove pets before treating the area and ventilate thoroughly before allowing them to re-enter the treated area.

For rapid clean out of *Fleas* and *Ticks* in kennels, apply with a good machine adjusted to deliver coarse droplets. Apply to the point of runoff, with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly. To prevent recurrence of fleas, a total management program is recommended. You should treat the areas where fleas live with a 4-Step Program which consists of:

Step 1 – Shampoo/Dip and pet

Step 2 – Treat the home and yard

Step 3 – Flea and Tick collars on the pet

Step 4 – Maintenance sprays and powders

Ask your pet care professional for specific recommendations on how to best control fleas for the comfort and well being of your pet and family.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Manufactured by:

Bonide Products, Inc.

Oriskany, NY 13424