

PYRENONE

GARDEN DUST

For the control of Cockroaches, Ants and Silverfish -in Homes, Non-Food areas of Restaurants and Food Processing Plants. Also for the control of Lice on Poultry and Pet Birds, Fleas and Ticks on Premises, Fleas and Lice on Dogs, Cats, Fleas on Gerbils, Hamsters and White Mice.

- *A PYRENONE INSECTICIDE
- *PROVIDES RAPID CONTROL OF INSECTS ON VEGETABLES OR ORNAMENTAL PLANTS
- *LEAVES NO OBJECTIONABLE RESIDUES
- *ACCEPTABLE FOR US TO THE DAY OF HARVEST ON EDIBLE PLANTS

ACTIVE INGREDIENTS

Pyrethrins.....	0.10%
*Piperonyl Butoxide, Technical.....	1.00%
**Other Ingredients.....	98.90%
Total.....	100.00%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

**Contains Petroleum Distillate

Pyrenone-Registered Trademark of Fairfield American Corporation


EPA REG. NO. 4-372

EPA EST NO. 4-NY-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautions.



NET CONTENTS : 10oz or 4LB

page 1

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid inhalation of Dust.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Pyrenone Garden Dust may be used throughout the growing season; or as a preharvest treatment-acceptable for use up to the day of harvest on edible plants when other insecticides are prohibited due to residue restrictions and use limitations.

Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

CROP	TO CONTROL
Asparagus Beans	Asparagus Beetles Aphids, Leafhoppers, Mexican Bean Beetles
Broccoli, Brussel Sprouts, Cabbage, Cauliflower	Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworms
Celery Lettuce	Cabbage Loopers, Leaf Tiers Cabbage Loopers, Diamondback Moth Larvae,, Imported Cabbageworms
Potatoes	Aphids, Colorado Beetles, Flea Beetles, Leafhoppers
Radishes	Aphids, Flea Beetles



Spinach	Aphids, Cabbage Loopers, Webworms
Tomatoes	Green Peach Aphid, Flea Beetles
Ornamentals	Aphids, Flea Beetles, Leafhoppers on: African Violets, African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds, Roses, etc.

FOR CONTROL OF ROACHES: Dust thoroughly all areas where roaches crawl and hide, around water pipes, in cracks and crevices, under and behind cabinets, refrigerators, sinks, around doors, windows and bookcases. Repeat application as necessary.

FOR CONTROL OF SILVERFISH: Dust thoroughly in cracks and crevices around baseboards, door frames, bookcases and storage areas.

FOR CONTROL OF ANTS: Dust thoroughly around door and window frames, ant trails and ant hills.

LICE ON POULTRY AND PET BIRDS: Dust the powder carefully into the feathers, under the wings, along the back and around the vent. Rub into feathers of the head. Nests, roosts, and runways, porches and cages should be thoroughly dusted. Destroy infested food and cuttlebone. Repeat as needed.

FLEAS AND TICKS ON PREMISES. Dust thoroughly all infested areas, particularly crevices in woodwork, floor and floor covering, and animal sleeping quarters. Repeat as needed.

FLEAS, LICE AND BROWN DOG TICKS ON CATS AND DOGS: Dust the powder onto the animal's hair and work it down to the skin. After treatment, brush or comb the animal's coat to remove dead fleas and lice. Repeat as needed.

BEDBUGS: Dismantle beds completely and dust all parts thoroughly, including, mattress seams and box springs. Dust all baseboards and wall cracks thoroughly. Repeat as needed.

FLEAS ON GERBILS, HAMSTERS AND WHITE MICE> Do not use if female is pregnant or nursing young. Dust the powder onto the animal's hair and work it down to the skin. After treatment, brush or comb the animal's coat to remove dead fleas and lice. Repeat as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities. Consult federal state or local disposal authorities for approved procedures.

Buyers Guarantee limited to label claims.

Manufactured by:

Bonide Products, Inc.

Yorkville, NY 13495

page 4

